



For Office Use Only
(to be inserted by the Secretary-Treasurer
after application is deemed complete)

FILE NUMBER: A-2024-0314

The Personal Information collected on this form is collected pursuant to section 45 of the Planning Act and will be used in the processing of this application. Applicants are advised that the Committee of Adjustment is a public process and the information contained in the Committee of Adjustment files is considered public information and is available to anyone upon request and will be published on the City's website. Questions about the collection of personal information should be directed to the Secretary-Treasurer, Committee of Adjustment, City of Brampton.

APPLICATION
Minor Variance or Special Permission
(Please read Instructions)

NOTE: It is required that this application be filed with the Secretary-Treasurer of the Committee of Adjustment and be accompanied by the applicable fee.

The undersigned hereby applies to the Committee of Adjustment for the City of Brampton under section 45 of the Planning Act, 1990, for relief as described in this application from By-Law **270-2004**.

1. **Name of Owner(s)** JEYACHITHRA MANICKAM
Address 11 STREAMLINE DR BRAMPTON, ON, L6V 4S6

Phone # 416-454-3429 **Fax #** _____
Email DANISHAN2005@GMAIL.COM

2. **Name of Agent** PAVNEET KAUR(NOBLE PRIME SOLUTIONS LTD)
Address 19-2131 WILLIAMS PKWY BRAMPTON ON, L6S 5Z4

Phone # 437-888-1800 **Fax #** _____
Email APPLICATIONS@NOBLELTD.CA

3. **Nature and extent of relief applied for (variances requested):**
1)TO PERMIT A BELOW GRADE ENTRANCE IN THE REQUIRED INTERIOR SIDE YARD,
2)TO PERMIT A BELOW GRADE ENTRANCE IN THE INTERIOR SIDE YARD HAVING A SET BACK OF 0.57m,
3)-TO PERMIT A DRIVEWAY WIDTH OF 10.30m (33.79 ft.)

4. **Why is it not possible to comply with the provisions of the by-law?**
1)WHEREAS THE BY-LAW DOES NOT PERMIT A BELOW GRADE ENTRANCE IN THE REQUIRED INTERIOR SIDE YARD; 2)WHEREAS THE BY-LAW REQUIRES A MINIMUM INTERIOR SIDE YARD SETBACK OF 1.2m
3)WHEREAS THE BY-LAW PERMITS A MAXIMUM DRIVEWAY WIDTH OF 7.00m (23 ft)

5. **Legal Description of the subject land:**
Lot Number 342
Plan Number/Concession Number M164
Municipal Address 11 STREAMLINE DR BRAMPTON, ON, L6V 4S6

6. **Dimension of subject land (in metric units)**
Frontage 12.27
Depth 26.37
Area 306.58

7. **Access to the subject land is by:**
Provincial Highway ☐ **Seasonal Road** ☐
Municipal Road Maintained All Year ☒ **Other Public Road** ☐
Private Right-of-Way ☐ **Water** ☐

8. Particulars of all buildings and structures on or proposed for the subject land: (specify in metric units ground floor area, gross floor area, number of storeys, width, length, height, etc., where possible)

EXISTING BUILDINGS/STRUCTURES on the subject land: List all structures (dwelling, shed, gazebo, etc.)

N/A

PROPOSED BUILDINGS/STRUCTURES on the subject land:

N/A

9. Location of all buildings and structures on or proposed for the subject lands: (specify distance from side, rear and front lot lines in metric units)

EXISTING

Front yard setback	6.39
Rear yard setback	6.73
Side yard setback	0.67
Side yard setback	1.17

PROPOSED

Front yard setback	NO CHANGE
Rear yard setback	NO CHANGE
Side yard setback	NO CHANGE
Side yard setback	0.77

10. Date of Acquisition of subject land: _____
11. Existing uses of subject property: RESIDENTIAL
12. Proposed uses of subject property: RESIDENTIAL
13. Existing uses of abutting properties: RESIDENTIAL
14. Date of construction of all buildings & structures on subject land: _____
15. Length of time the existing uses of the subject property have been continued: _____

16. (a) What water supply is existing/proposed?
Municipal ☒ Other (specify) _____
Well ☐
- (b) What sewage disposal is/will be provided?
Municipal ☒ Other (specify) _____
Septic ☐
- (c) What storm drainage system is existing/proposed?
Sewers ☒ Other (specify) _____
Ditches ☐
Swales ☐

17. Is the subject property the subject of an application under the Planning Act, for approval of a plan of subdivision or consent?

Yes ☐ No ☒

If answer is yes, provide details: File # _____ Status _____

18. Has a pre-consultation application been filed?

Yes ☐ No ☒

19. Has the subject property ever been the subject of an application for minor variance?

Yes ☐ No ☐ Unknown ☒

If answer is yes, provide details:

File # _____	Decision _____	Relief _____
File # _____	Decision _____	Relief _____
File # _____	Decision _____	Relief _____

Pavneet Kaur
Signature of Applicant(s) or Authorized Agent

DATED AT THE City OF Brampton
THIS 9 DAY OF August, 2024.

IF THIS APPLICATION IS SIGNED BY AN AGENT, SOLICITOR OR ANY PERSON OTHER THAN THE OWNER OF THE SUBJECT LANDS, WRITTEN AUTHORIZATION OF THE OWNER MUST ACCOMPANY THE APPLICATION. IF THE APPLICANT IS A CORPORATION, THE APPLICATION SHALL BE SIGNED BY AN OFFICER OF THE CORPORATION AND THE CORPORATION'S SEAL SHALL BE AFFIXED.

I, Pavneet Kaur, OF THE City OF Brampton
IN THE Region OF Peel SOLEMNLY DECLARE THAT:

ALL OF THE ABOVE STATEMENTS ARE TRUE AND I MAKE THIS SOLEMN DECLARATION CONSCIENTIOUSLY BELIEVING IT TO BE TRUE AND KNOWING THAT IT IS OF THE SAME FORCE AND EFFECT AS IF MADE UNDER OATH.

DECLARED BEFORE ME AT THE

Region OF Peel
IN THE Province OF
Ontario THIS 9th DAY OF
Aug, 2024.

Pavneet Kaur
Signature of Applicant or Authorized Agent

A Commissioner
Barrister Solicitor & Notary Public
Commissioner of Oaths in and for Ontario
309 - 50 Sunny Meadow Blvd,
Brampton Ontario L6R 0Y7
Ph# 905-791-2500; Fax # 905-790-7757

FOR OFFICE USE ONLY

Present Official Plan Designation: _____

Present Zoning By-law Classification: _____

This application has been reviewed with respect to the variances required and the results of the said review are outlined on the attached checklist.

Zoning Officer

Date

DATE RECEIVED

Date Application Deemed

Revised 2022/02/17

APPOINTMENT AND AUTHORIZATION OF AGENT

To: The Secretary-Treasurer
Committee of Adjustment
City of Brampton
2 Wellington Street West
Brampton, Ontario
L6Y 4R2

LOCATION OF THE SUBJECT LAND: 11 Streamline Dr Brampton
I/We, Jeyachidra Manickam
please print/type the full name of the owner(s)

the undersigned, being the registered owner(s) of the subject lands, hereby authorize

Noble Prime Solutions Ltd

please print/type the full name of the agent(s)

to make application to the **City of Brampton Committee of Adjustment** in the matter of an application for **minor variance** with respect to the subject land.

Dated this 27 day of July, 2024
Jeyachidra Manickam
(signature of the owner[s], or where the owner is a firm or corporation, the signature of an officer of the owner.)

(where the owner is a firm or corporation, please print or type the full name of the person signing.)

NOTE: If the owner is a firm or corporation, the corporate seal shall be affixed hereto.

NOTE: Unit owners within a Peel Standard Condominium Corporation are to secure authorization from the Directors of the Condominium Corporation in a form satisfactory to the City of Brampton, prior to submission of an application. Signatures from all Members of the Board of Directors are required.

PERMISSION TO ENTER

To: The Secretary-Treasurer
Committee of Adjustment
City of Brampton
2 Wellington Street West
Brampton, Ontario
L6Y 4R2

LOCATION OF THE SUBJECT LAND: 11 Streamline Dr Brampton

I/We, Jeyachitra Manickam
please print/type the full name of the owner(s)

the undersigned, being the registered owner(s) of the subject land, hereby authorize the Members of the City of Brampton Committee of Adjustment and City of Brampton staff members, to enter upon the above noted property for the purpose of conducting a site inspection with respect to the attached application for Minor Variance and/or consent.

Dated this 27 day of July, 2021

Jeyachitra Manickam
(signature of the owner[s], or where the owner is a firm or corporation, the signature of an officer of the owner.)


(where the owner is a firm or corporation, please print or type the full name of the person signing.)

NOTE: If the owner is a firm or corporation, the corporate seal shall be affixed hereto.

NO DISCUSSION SHALL TAKE PLACE BETWEEN THE COMMITTEE MEMBERS AND THE APPLICANT DURING THE SITE INSPECTION

MINOR VARIANCE

- TO PERMIT A BELOW GRADE ENTRANCE IN THE REQUIRED INTERIOR SIDE YARD, WHEREAS THE BY-LAW DOES NOT PERMIT A BELOW GRADE ENTRANCE IN THE REQUIRED INTERIOR SIDE YARD;
- TO PERMIT A BELOW GRADE ENTRANCE IN THE INTERIOR SIDE YARD HAVING A SET BACK OF 0.57m, WHEREAS THE BY-LAW REQUIRES A MINIMUM INTERIOR SIDE YARD SETBACK OF 1.2m;
- TO PERMIT A DRIVEWAY WIDTH OF 10.30m (33.79 ft.) WHEREAS THE BY-LAW PERMITS A MAXIMUM DRIVEWAY WIDTH OF 7.00m (23 ft).



THE CONTRACTOR MUST VERIFY AND ACCEPT RESPONSIBILITY FOR ALL DIMENSIONS AND CONDITIONS ON SITE AND MUST NOTIFY THE DESIGNER/ENGINEER OF ANY VARIATIONS FROM THE SUPPLIED INFORMATION. CONSTRUCTION MUST CONFORM TO ALL APPLICABLE CODES AND REQUIREMENTS OF AUTHORITIES HAVING JURISDICTION.

SITE PLAN

The undersigned has reviewed and taken responsibility for this design and has qualifications and meet the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION
(Required unless design is exempted under 3.2.5 Division C of OBC)

DESIGNER	BCIN
Tanvir Rai	103482

[Signature]

FIRM	BCIN
Noble Prime Solutions Ltd	118716

JUL 02/24

01	ISSUED FOR PERMIT	JUL 02/24
----	-------------------	-----------

ADDRESS:
11 STREAMLINE DR,
BRAMPTON, ON

DRAWN BY: KR
CHECKED BY: TR

PROJECT NUMBER:
24R-30363

NOBLE PRIME SOLUTIONS LTD.


2131 WILLIAMS PARKWAY
UNIT 19,
BRAMPTON, ON.

info@nobleltd.ca
(437) 888 1800
(647) 207 5470

DATE: JUL 02/24
SCALE: 1 : 80

DWG No:
A-1

SURVEYOR'S REAL PROPERTY REPORT
PART 1
PLAN OF SURVEY OF
LOTS 339-354 BOTH INCLUSIVE
PLAN 43M-1647
CITY OF BRAMPTON
REGIONAL MUNICIPALITY OF PEEL



SCALE 1:350
 JOHN DOUGLAS CARTER (1095)
 ONTARIO LAND SURVEYOR -2005-


DOCUMENTS RELEASED PURSUANT TO A REQUEST
 UNDER THE
 MUNICIPAL FREEDOM OF INFORMATION AND
 PROTECTION OF PRIVACY ACT R.S.O. 1990c. M56
 COPYRIGHT ACT R.S., 1985, c. C-42 APPLIES TO THE
 USE AND REPRODUCTION OF THESE DOCUMENTS

METRIC :DISTANCES SHOWN IN THIS PLAN ARE IN METRES
 AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

ASSOCIATION OF ONTARIO
 LAND SURVEYORS
 PLAN SUBMISSION FORM
 1572158



THIS PLAN IS NOT VALID
 UNLESS IT IS AN EMBOSSED
 ORIGINAL COPY
 ISSUED BY THE SURVEYOR
 In accordance with
 Regulation 1020, Section 29(3).



BEARING REFERENCE

BEARINGS ARE ASTROMOMIC AND ARE REFERRED TO THE NORTH-
 WESTERLY LIMIT OF STREAMLINE DRIVE IN ACCORDANCE
 WITH PLAN 43M-1647 HAVING A BEARING OF N56°34'00"E.

© COPYRIGHT 2005 JOHN DOUGLAS CARTER
 THE REPRODUCTION, ALTERATION, OR USE OF THIS REPORT
 IN WHOLE OR IN PART, WITHOUT THE EXPRESS PERMISSION
 OF JOHN DOUGLAS CARTER, O.L.S. IS STRICTLY PROHIBITED.

NOTE THIS REPORT CAN BE UPDATED BY THIS OFFICE,
 HOWEVER, NO ADDITIONAL PRINT OF THIS ORIGINAL REPORT
 WILL BE ISSUED, SUBSEQUENT TO THE DATE OF CERTIFICATION.
 THIS IS NOT A VALID COPY UNLESS EMBOSSED WITH A SEAL.

PART 2

REGISTERED EASEMENTS AND/OR RIGHT OF WAYS- NONE
 THIS PLAN DOES NOT CERTIFY COMPLIANCE WITH
 ZONING BY LAWS. THERE ARE NO FENCES.

NOTES

□ DENOTES FOUND
 ■ DENOTES IRON BAR
 SIB DENOTES STANDARD IRON BAR
 P DENOTES PLAN 43M-1647
 P1 DENOTES PLAN 43R-30086
 S DENOTES SET
 Me DENOTES MEASURED
 CF DENOTES CONCRETE FOUNDATION
 DUC DENOTES DWELLING UNDER CONSTRUCTION
 (1225) DENOTES D. B. SEARLES SURVEYING LTD., OLS
 PARTS 22-37 REFER TO PLAN 43R-30086
 ALL BARS FOUND ARE BY JOHN D. CARTER LTD., OLS
 UNLESS OTHERWISE NOTED.

SURVEYOR'S CERTIFICATE

I CERTIFY THAT :
 1. THIS SURVEY AND PLAN ARE CORRECT AND IN
 ACCORDANCE WITH THE SURVEYS ACT, THE SURVEYORS
 ACT, THE LAND TITLES ACT,
 AND THE REGULATIONS MADE UNDER THEM.

2. THE SURVEY WAS COMPLETED THE 1st DAY OF June, 2005.

DATE- Aug 13 , 2005- John D. Carter
 JOHN DOUGLAS CARTER
 ONTARIO LAND SURVEYOR

THIS REPORT WAS PREPARED FOR PARADISE HOMES
 LAKELANDS INC. AND THE UNDERSIGNED ACCEPTS
 NO RESPONSIBILITY FOR USE BY OTHER PARTIES.

JOHN DOUGLAS CARTER LTD.
 ONTARIO LAND SURVEYORS

24 CASTLE HARBOUR LANE THORNHILL
 ONTARIO L3T 3A2 905-881-0726

PROJECT No.05-1056, 339-354 SRPR

Zoning Non-compliance Checklist

File No.
A - 2024 - 0314

Applicant: JEYAEHITHRA MANICKAM
Address: 11 Streamline Dr, Brampton, ON L6V 4T2
Zoning: R1D-1219, MATURE NEIGHBOURHOOD
By-law 270-2004, as amended

Category	Proposal	By-law Requirement	Section #
USE			
LOT DIMENSIONS AREA / DEPTH / WIDTH			
BELOW GRADE ENTRANCE	To permit a proposed exterior stairway leading to a below grade entrance in a required side yard.	whereas the by-law does not permit exterior stairways constructed below established grade in the required side yard.	10.23.1
SETBACKS	To permit a 0.57m side yard setback to a proposed exterior stairway leading to below grade entrance in the required interior side yard, resulting in a combined side yard width of 1.22m.	Whereas the by-law requires a minimum side yard setback of 0.6m provided that the combined total for both side yards on an interior lot is 1.8m.	1219.2.(7)(a)
BUILDING HEIGHT			
OUTSIDE STORAGE			
LOT COVERAGE			
DRIVEWAY	To permit a maximum driveway width of 10.3m.	Whereas the by-law permits a maximum driveway width of 7.0m	10.9.1.B.1)c.
FENCE HEIGHT			
ACCESSORY STRUCTURE HEIGHT			
ACCESSORY STRUCTURE SETBACK			
DRIVEWAY WIDTH			
LANDSCAPE OPEN SPACE			
GARAGE DOOR HEIGHT			

John C. Cabral

Reviewed by Zoning

2024-08-15

Date