

THE CORPORATION OF THE CITY OF BRAMPTON



Number _____- 2025

To amend Comprehensive Zoning By-law 270-2004, as amended

WHEREAS The Council of The Corporation of the City of Brampton, in accordance with the provisions of the Planning Act, R.S.O. 1990, c.P. 13, hereby ENACTS as follows;

NOW THEREFORE the Council of The Corporation of the City of Brampton ENACTS as follows:

- 1. By-law 270-2004, as amended, is hereby further amended:
 - 1) By changing on Schedule A thereto, the zoning designations of the lands as shown outlined on Schedule A to this by-law:

From	То
Agricultural – Section 1520 (A- 1520)	Residential Street Townhouse B – Section 3837 (R3B-3837) Composite Residential Commercial – Section 3838 (CRC-3838) Open Space – OS

- 2) By adding thereto the following sections:
- "3837 The lands designated R3B-Section 3837 on Schedule A to this by-law:
- 3837.1 shall be used for the purposes permitted within a R3B zone and the following:
 - a) A street townhouse dwelling;
 - b) A dual frontage townhouse dwelling; and
 - c) A back-to-back townhouse dwelling.
- 3837.2 <u>Dwelling, Back-to-Back Townhouse</u> shall mean a building containing four or more dwelling units separated vertically by a common rear and/or side wall. While the majority of units in a block will have both a rear and side abutment to one another, end units with only a single rear or side abutting condition to the balance of the block are permitted.

(1) Minimum Lot Area a) Street Townhouse Dwelling and Dual Frontage Townhouse Dwelling – 110 square metres for all lots (2) Minimum Lot Width 5.5 metres for all lots (3) Minimum Lot Depth a) Street Townhouse Dwelling and Dual Frontage Townhouse Dwelling and Dual Frontage Townhouse Dwelling and Dual Prontage Townhouse Dwelling - 22 metres (4) Minimum Front Yard Depth a) 3.0 metres to an exterior wall provided that the graage door shall not be closer than 6.0 metres to the front lot line; (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; (a) 3.0 metres to a daylight triangle or rounding, or to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; (7) No requirement to a daylight triangle or rounding, or to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves.		-	
 (3) Minimum Lot Depth a) Street Townhouse Dwelling and Dual Frontage Townhouse Dwelling – 22 metres b) Back-to-Back Townhouse Dwelling – 14 metres (4) Minimum Front Yard Depth a) 3.0 metres to an exterior wall provided that the garage door shall not be closer than 6.0 metres to the front lot line; b) 1.5 metres to balcony, porch, or bay window; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; b) 1.2 metres to a main wall; and c) No requirement to a taylight triangle or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or nounding, or to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. 	(1)	Minimum Lot Area	Frontage Townhouse Dwelling – 110 square metres for all lotsb) Back-to-Back Townhouse Dwelling – 80
 Frontage Townhouse Dwelling – 22 metres b) Back-to-Back Townhouse Dwelling – 14 metres (4) Minimum Front Yard Depth a) 3.0 metres to an exterior wall provided that the garage door shall not be closer than 6.0 metres to the front lot line; b) 1.5 metres to balcony, porch, or bay window; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; b) 1.2 metres to a main wall; and c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. 	(2)	Minimum Lot Width	5.5 metres for all lots
 (4) Minimum Front Yard Depth a) 3.0 metres to an exterior wall provided that the garage door shall not be closer than 6.0 metres to the front lot line; b) 1.5 metres to balcony, porch, or bay window; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; b) 1.2 metres to a main wall; and c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to a daylight triangle or rounding, or to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. 	(3)	Minimum Lot Depth	Frontage Townhouse Dwelling – 22 metres
 (5) Depth provided that the garage door shall not be closer than 6.0 metres to the front lot line; b) 1.5 metres to balcony, porch, or bay window; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; b) 1.2 metres to a main wall; and c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 			,
 window; and window; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; b) 1.2 metres to a main wall; and c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 	(4)		provided that the garage door shall not be closer than 6.0 metres to the
 or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (5) Minimum Interior Side Yard Width a) 0.0 metres where the side lot line coincides with a party wall between two dwellings; b) 1.2 metres to a main wall; and c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 			
 Yard Width Yard Width b) 1.2 metres to a main wall; and c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 			or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water
 c) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 	(5)		coincides with a party wall between
 infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves. (6) Minimum Exterior Side Yard Width a) 3.0 metres to a main wall; b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 			b) 1.2 metres to a main wall; and
 Yard Width b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 			infrastructure, such as transformers, switchgears, or natural gas pads,
 Yard Width b) 1.5 metres to balcony, porch or bay windows; and c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water 	(6)	Minimum Exterior Side	a) 3.0 metres to a main wall:
c) No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water			b) 1.5 metres to balcony, porch or bay
			 No requirement to a daylight triangle or rounding, or to utility infrastructure such as transformers, switchgears, or natural gas pads, excluding water

3837.3 shall be subject to the following requirements and restrictions:

(7)	Minimum Rear Yard Depth	 a) Street Townhouse Dwelling – 6.0 metres to a main wall; b) Where a rear yard of a Street Townhouse Dwelling abuts a Natural Heritage System, or a stormwater management pond, up to 50% of the main wall may encroach up to 0.5 metres into the minimum rear yard depth;
		c) Notwithstanding Section 3837.3.7(a) above, where a rear yard of a Dual Frontage Townhouse Dwelling abuts a Public Park – 1.5 metres to a main wall;
		 Back-to-Back Townhouse Dwelling – No requirement
		e) 1.5 metres to balcony, porch, or bay windows; and
		 f) No requirement to utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves.
(8)	Maximum Lot Coverage	No requirement
(9)	Maximum Building Height	14 metres
(10)	Minimum Driveway Width	Notwithstanding any other provision of this by-law, the portion of a driveway beneath a structure where a recessed garage door is present shall not be considered a carport, and the minimum driveway width for this portion may be reduced to 2.7 metres.
(11)	Minimum Interior Garage Dimensions	3.0m width by 6.1m length with no more than a two-step encroachment lengthwise and a one-step encroachment widthwise.
(12)	TransCanada Pipeline Right-of-Way Setbacks	 A minimum setback of 7.0 metres to any part of a building or structure from the edge of the TransCanada Pipeline Right-of-Way; and
		 A minimum setback of 7.0 metres from the nearest portion of a TransCanada Pipeline Right-of-Way shall also apply to any parking area

- 2025

or loading area, including any parking spaces, loading spaces, stacking spaces, bicycle parking spaces, and any associated aisle or driveway.

- 3837.4 shall also be subject to the requirements and restrictions relating to the R3B zone and all the general provisions of this by-law which are not in conflict with those set out in Section 3837.3."
- "3838 The lands designated CRC-3838 on Schedule A to this By-Law:
- 3838.1 Shall only be used for the purposes permitted within the CRC zone and the following uses:
 - a) Residential
 - i. An Apartment Dwelling;
 - ii. A Live-Work Townhouse Dwelling;
 - iii. A Townhouse Dwelling;
 - iv. A Back-to-Back Townhouse Dwelling;
 - v. A Rear Lane Townhouse; and
 - vi. A Stacked Townhouse Dwelling
 - b) Non-Residential uses only in conjunction with uses set out in 3838.1(a):
 - i. An office;
 - ii. A medical office;
 - iii. A retail establishment;
 - iv. A convenience store;
 - v. A personal service shop;
 - vi. A day nursery;
 - vii. A takeout restaurant, convenience restaurant, dining room restaurant, or a tavern;
 - viii. An animal hospital;
 - ix. An art gallery;
 - x. A park, playground, or recreational facility;
 - xi. A supermarket;
 - xii. A health centre;
 - xiii. A hotel;
 - xiv. A bank, trust company, or financial company;
 - xv. A service shop, excluding automative uses
 - xvi. A dry cleaning and laundry distribution station;
 - xvii. A printing or copying establishment;
 - xviii. A commercial school;
 - xix. A place of commercial recreation;
 - xx. An amusement arcade;
 - xxi. A radio, television, broadcasting, and transmission facility; and,
 - xxii. A temporary sales office.

3838.2 shall be subject to the following requirements and restriction

(1) Front Lot Line	For the purpose of this section, the lot line abutting The Gore Road shall be the front
	abutting The Gore Road shall be the front lot line and all lands zoned CRC-3838

		By-law Number 2025
		shall be treated as one lot for zoning purposes.
(2)	Residential Use	For the purposes of this section, townhouse dwellings, back-to-back townhouse dwellings, and rear lane townhouse dwellings shall be subject to the Unit Width, Building Height, Driveway Width, and Minimum Interior Garage Dimension requirements and restrictions relating to the R3B-3837 zone.
(3)	Minimum Dwelling Unit Gross Floor Area	No requirement
(4)	Maximum Floor Space Index	4.0 FSI
(5)	Maximum Gross Floor Area	No requirement
(6)	Minimum Non-Residential Gross Floor Area	750 square metres
(7)	Minimum Setbacks for all Lot Lines	 a) 3.0 metres to an exterior wall; and b) No requirement utility infrastructure, such as transformers, switchgears, or natural gas pads, excluding water shut-off valves.
(8)	Maximum encroachment into the minimum required setbacks for canopies, porches and patios	2.5 metres
(9)	Maximum Building Height	25 storeys
(10)	Minimum Building Height	3 storeys
(11)	Maximum Tower Floor Plate Area	800 square metres

(12) Minimum Building Separation	 a) 3.0 metres for any buildings less than 4 storeys in height; b) 15.0 metres for any buildings between 4 to 12 storeys in height; and c) 25.0 metres for any buildings above 12 storeys in height.
(13) Minimum Landscaped Open Space	20% minimum landscaped open space
(14) Minimum Landscape Open Space Strip	 a) 3.0 metres along The Gore Road; and b) 2.0 metres along any lot line abutting a public street except at approved driveway and building or encroachment locations.
(15) Minimum Parking Requirement	 a) Residential parking shall be provided in accordance with Section 10.9; and b) 1 space for each 30 square metres of non-residential Gross Floor Area or portion thereof.
(16) Minimum Bicycle Parking Requirement	 a) For Residents: Minimum 0.5 spaces per dwelling unit; and b) For Visitors: Minimum 0.1 spaces per dwelling unit.
(17) Loading Areas, Garbage, Refuse, and Waste	 a) Loading areas shall be screened from view from a public street; and b) All garbage, refuse and waste containers for any use shall be located within a climate-controlled area within a building.
(18) TransCanada Pipeline Right-of-Way Setbacks	 a) A minimum setback of 7.0 metres to any part of a building or structure from the edge of the TransCanada Pipeline Right-of-Way; and b) A minimum setback of 7.0 metres from the nearest portion of a TransCanada Pipeline Right-of-Way shall also apply to any parking area or loading area, including any parking spaces, loading spaces, stacking

spaces, bicycle parking spaces, and any associated aisle or driveway.
any associated alsie of driveway.

3838.3 Shall also be subject to the requirements and restrictions relating to the CRC zone and all the general provisions of this by-law which are not in conflict with those set out in Section 3838.2."

ENACTED and PASSED this 28th day of May, 2025.

Approved as to form. 2025/05/22 MR

Patrick Brown, Mayor

Approved as to content.
2025/May/22
AAP

Genevieve Scharback, City Clerk

(OZS-2024-0065)