Myers, Jeanie

From:

Don

Sent:

2021/09/10 9:58 AM

To:

Myers, Jeanie

Subject:

[EXTERNAL]Application # A-2021-0199 / 3 Chesterfield Road

Caution: This email originated from outside the organization. Do not click links or open attachments that you do not trust or are not expecting.

Hello Ms. Myers,

I am sending you this correspondence regarding application # A-2021-0199, a minor variance for relief from By-law 270-2004, regarding the heights of the existing fences, I am opposing these applications, my contact information is as follows:

Donald Kirkpatrick 12 Chesterfield Road Brampton, ON L6W 1K9

In regards to the first variance, the existing fence in the front yard is 1.88m (6.17 ft) whereas the by-law permits a fence in the front yard to be a maximum height of 1.0 m (3.28 ft), this needs to be enforced, especially since it is a corner lot and restricts the line of sight of the road.

If you refer to the sketch of the intersection, you will see that I have referenced two different lines of sight, each of then showing an obstructed view (blue line) and an unobstructed view (orange line), in each case, whatever direction you are going, increased line of site with the unobstructed view.

Even if it seems insignificant, this increased line of site is extremely important and should be rectified, including the trimming and/or removal of the trees, which also obstruct the line of site, for the reasons I have listed below:

- no sidewalks residents use the road to walk, run, play, cycle etc.
- covid due to social distancing, everyone is spread out all over the road, not staying to the curb
- families numerous new families in the neighbourhood, hence, lots of young children on the road
- yield sign at the intersection there is a yield sign, cars don't have to stop, go right through
- drivers as is the case in most neighbourhoods, there are excessive drivers that speed, posing a danger

As I have mentioned, this increased line of sight is important for the safety of everyone, as there would be an extra ten to twenty feet of unobstructed view, which may provide those few extra seconds to prevent an accident, such as being able to see a speeding car or a child on a bike coming around the corner.

In regards to the second variance, the existing fence is 2.23 m (7.32 ft) whereas the by-law permits a maximum height of 2.0 m (6.56 ft), this should be enforced as it only starts a trend and soon enough everyone will be erecting fences at any height they want, not very neighbour friendly.

I would like to thank you for taking the time to read and consider my concerns, and if possible, would like to be notified of the decision of the committee of adjustment, everyone keep safe.

Regards,

Don Kirkpatrick

Chesterfield RQ. 3 Chesterfield Rd Sourys=1 Allendale Road. Obstructed CIGARIGANE. BRAMPTON Brampton.ca Flower City Under the authority of the Emergency Management and Civil Protection Act and the Municipal Act, 2001, City Council approved Committee Meetings to be held electronically during the COVID-19 Emergency Chesterfield (longest lot line) Land Survey 4.97m (house to property line) 6.43m (house to property line) 3.21m (fence to property line (asphalt with border) walkway to front door (parallel to house) 11 37m (house to outer fence) 12.07m (house) 12.65m (outer fence to house) **** fence height is I.88m here*** pool house 1.43m (house to fence) (side split with front door fading Chesterfield) 1.83m x 0.91m 6.53m (house to properly line) 0.61m off ground 0.73m from corner of bouse Pool = 1.34m from shed *** fence height is 2.23m here*** ground floor window mature pear tree 3.95m (lence to property line) 22.73m (feace to shed) 3.35m (stred) (shed to property kney 30.48m (property line)