



Dufferin-Peel
Catholic District
School Board

Dufferin-Peel Catholic District School Board

40 Matheson Boulevard West, Mississauga, ON L5R 1C5 | (905) 890-1221 | www.dpcdsb.org

September 2, 2020

Jacqueline Lee
Development Planner
City of Brampton
2 Wellington Street West
Brampton, ON L6Y 4R2

Dear Ms. Lee:

**Re: Notice of Application and Request for Comments
Application for Proposed Draft Plan of Subdivision
Madan Sharma – Kennedy Road Owners Group
0, 7657, 7660 and 7686 Kennedy Road South
West side of Kennedy Rd S, South of Steeles Ave E
File: 21T-20007B (OZS 2020-0020)
City of Brampton – Ward 3**

The Dufferin-Peel Catholic District School Board has reviewed the above noted application based on its School Accommodation Criteria and provides the following comments:

The applicant proposes the development of 1 detached and 71 townhouse units which are anticipated to yield:

- 9 Junior Kindergarten to Grade 8 Students; and
- 6 Grade 9 to Grade 12 Students

The proposed development is located within the following school catchment areas which currently operate under the following student accommodation conditions:

Catchment Area	School	Enrolment	Capacity	# of Portables / Temporary Classrooms
Elementary School	St. Kevin	249	579	0
Secondary School	St. Augustine	970	1320	3

The Board requests that the following condition be incorporated in the conditions of draft approval:

1. That the applicant shall agree in the Servicing and/or Subdivision Agreement to include the following warning clauses in all offers of purchase and sale of residential lots.
 - (a) "Whereas, despite the best efforts of the Dufferin-Peel Catholic District School Board, sufficient accommodation may not be available for all anticipated students from the area, you are hereby notified that students may be accommodated in temporary facilities and/or

bussed to a school outside of the neighbourhood, and further, that students may later be transferred to the neighbourhood school."

- (b) "That the purchasers agree that for the purpose of transportation to school, the residents of the subdivision shall agree that children will meet the bus on roads presently in existence or at another place designated by the Board."

The Board will be reviewing the accommodation conditions in each elementary and secondary planning area on a regular basis and will provide updated comments if necessary.

Yours sincerely,

K. Koops

Krystina Koops, MCIP, RPP
Planner
Dufferin-Peel Catholic District School Board
(905) 890-0708, ext. 24407
krystina.koops@dpcdsb.org

c: N. Hanson, Peel District School Board (via email)

Sidhu, Tejinder

From: Trdoslavic, Shawntelle
Sent: 2020/08/24 10:03 AM
To: Lee, Jacqueline
Subject: FW: [EXTERNAL]RE: OZS-2020-0020 Notice of Application and Request for Comments DUE SEPT 10/2020

FYI from Enbridge.

thanks,

Shawntelle Trdoslavic

Development Services Clerk

Planning, Building and Economic Development

City of Brampton | 2 Wellington Street West | Brampton, Ontario | L6Y 4R2

shawntelle.trdoslavic@brampton.ca

Our Focus Is People 



From: Municipal Planning <MunicipalPlanning@enbridge.com>
Sent: 2020/08/24 10:02 AM
To: Trdoslavic, Shawntelle <Shawntelle.Trdoslavic@brampton.ca>
Subject: [EXTERNAL]RE: OZS-2020-0020 Notice of Application and Request for Comments DUE SEPT 10/2020

Thank you for your circulation.

Enbridge Gas Inc. does not object to the proposed application however, we reserve the right to amend our development conditions.

Please continue to forward all municipal circulations and clearance letter requests electronically to MunicipalPlanning@Enbridge.com.

Regards,

Alice Coleman

Municipal Planning Analyst
Long Range Distribution Planning

ENBRIDGE GAS INC.

TEL: 416-495-5386

500 Consumers Road, North York, Ontario M2J 1P8

Enbridge.com

Safety. Integrity. Respect.

From: Trdoslavic, Shawntelle <Shawntelle.Trdoslavic@brampton.ca>
Sent: Monday, August 24, 2020 9:42 AM
To: circulations@mmm.ca; Municipal Planning <MunicipalPlanning@enbridge.com>; Henry Gamboa <henry.gamboa@alectrautilities.com>; gtaw.newarea@rci.rogers.com; christopher.fearon@canadapost.ca; Vidovic, Branko <branko.vidovic@peelsb.com>; Cox, Stephanie <stephanie.cox@dpcdsb.org>; Koops, Krystina <krystina.koops@dpcdsb.org>; planification@csviamonde.ca
Cc: Lee, Jacqueline <Jacqueline.Lee@brampton.ca>
Subject: [External] OZS-2020-0020 Notice of Application and Request for Comments DUE SEPT 10/2020

EXTERNAL: PLEASE PROCEED WITH CAUTION.

This e-mail has originated from outside of the organization. Do not respond, click on links or open attachments unless you recognize the sender or know the content is safe.

Good Morning,

Please find attached the **Notice of Application and Request for Comments** for the above noted file.

If you have any concerns please **contact the assigned Planner**, Jacqueline Lee at jacqueline.lee@brampton.ca

Please note comments are due to Jacqueline **by September 10, 2020**

Thank you and have a great day!

Shawntelle Trdoslavic

Development Services Clerk

Planning, Building and Economic Development

City of Brampton | 2 Wellington Street West | Brampton, Ontario | L6Y 4R2

shawntelle.trdoslavic@brampton.ca

Our Focus Is People 



Please review the City of Brampton e-mail disclaimer statement at: <http://www.brampton.ca/EN/Online-Services/Pages/Privacy-Statement.aspx>



5650 Hurontario Street
 Mississauga, ON, Canada L5R 1C6
 t 905.890.1010 1.800.668.1146
 f 905.890.6747
 www.peelschools.org

September 10th, 2020

Jacqueline Lee
 Development Planner
 City of Brampton
 2 Wellington Street West
 Brampton, ON L6Y 4R2

Dear Ms. Lee:

**RE: Proposed Application for a Draft Plan of Subdivision
 OZS-2020-0020
 Madan Sharma- Kennedy Road Owners Group
 0, 7646, 7660 and 7686 Kennedy Road South
 West side of Kennedy Road, between Steeles Avenue East and Highway 407
 City of Brampton (Ward 3)**

The Peel District School Board has reviewed the above-noted application (71 residential townhouse units and 1 single detached dwelling unit) based on its School Accommodation Criteria and has the following comments:

The anticipated yield from this plan is as follows:

14	K-5
6	6-8
7	9-12

The students are presently within the following attendance areas:

	<u>Enrolment</u>	<u>Capacity</u>	<u># of Portables</u>
Parkway P.S.	398	458	0
William G. Davis Sr. P.S.	502	507	4
Turner Fenton S.S.	1,614	2,040	0

Trustees

Brad MacDonald, Chair
 David Green, Vice-Chair
 Carrie Andrews
 Susan Benjamin
 Stan Cameron
 Robert Crocker

Nokha Dakroub
 Will Davies
 Sue Lawton
 John Marchant
 Kathy McDonald
 Balbir Sohi

Interim Director of Education and Secretary

Jaspal Gill

Associate Director, Instructional & Equity Support Services

Poleen Grewal

Associate Director, Operational Support Services

Jaspal Gill

Associate Director, School Support Services

Mark Haarmann

The Board requires the inclusion of the following conditions in the Conditions of Draft Approval as well as the Development Agreement:

1. Prior to final approval, the City of Brampton shall be advised by the School Board(s) that satisfactory arrangements regarding the provision and distribution of educational facilities have been made between the developer/applicant and the School Board(s) for this plan
2. The Peel District School Board requires the following clause be placed in any agreement of purchase and sale entered into with respect to any units on this plan, within a period of five years from the date of registration of the development agreement:
 - a) “Whereas, despite the efforts of the Peel District School Board, sufficient accommodation may not be available for all anticipated students in the neighbourhood schools, you are hereby notified that some students may be accommodated in temporary facilities or bused to schools outside of the area, according to the Board’s Transportation Policy. You are advised to contact the School Accommodation department of the Peel District School Board to determine the exact schools.”
 - b) “The purchaser agrees that for the purposes of transportation to school the residents of the development shall agree that the children will meet the school bus on roads presently in existence or at another designated place convenient to the Peel District School Board.”
3. The developer shall agree to erect and maintain signs at the entrances to this development which shall advise prospective purchases that due to present school facilities, some of the children from this development may have to be accommodated in temporary facilities or bused to schools, according to the Peel District School Board’s Transportation Policy.

The Board wishes to be notified of the decision of Council with respect to this proposed application.

If you require any further information please contact me at nicole.hanson@peelsb.com or 905-890-1010, ext. 2217.

Yours truly,

Nicole N. Hanson, MES(Pl.), RPP, MCIP
Planning Officer - Development
Planning and Accommodation Dept.

- c. S. Blakeman, Peel District School Board
K. Koops, Dufferin-Peel Catholic District School Board (email only)

Sidhu, Tejinder

From: GTAW New Area <gtaw.newarea@rci.rogers.com>
Sent: 2020/08/24 11:48 AM
To: Lee, Jacqueline
Cc: GTAW New Area
Subject: FW: OZS-2020-0020 Notice of Application and Request for Comments DUE SEPT 10/2020
Attachments: R0_Cover Letter.pdf; R0_Registered Owner's Authorization.pdf; R0_Draft Plan of Subdivision.pdf; Notice of Application and Request for Comments (August 20, 2020).pdf

Hi Jacqueline

Rogers Communications Canada Inc. has no objections.

Prior to registration of the Plan of Subdivision, the developer/owner will, at its own cost, grant all necessary easements and maintenance agreements required by those CRTC-licensed telecommunications companies and broadcasting distribution companies intending to serve the Subdivision (collectively the "Communications Service Providers"). Immediately following registration of the Plan of Subdivision, the developer/owner will cause these documents to be registered on title.

Prior to registration of the plan of subdivision, the developer/owner will, with consultation with the applicable utilities and Communications Service Providers, prepare an overall utility distribution plan that shows the locations of all utility infrastructure for the Subdivision, as well as the timing and phasing of installation.

Thank you

From: Trdoslavic, Shawntelle [mailto:Shawntelle.Trdoslavic@brampton.ca]
Sent: Monday, August 24, 2020 9:42 AM
To: circulations@mmm.ca; Municipal Planning <municipalplanning@enbridge.com>; Henry Gamboa <henry.gamboa@alecrautilities.com>; GTAW New Area <gtaw.newarea@rci.rogers.com>; christopher.fearon@canadapost.ca; Vidovic, Branko <branko.vidovic@peelsb.com>; Cox, Stephanie <stephanie.cox@dpcdsb.org>; Koops, Krystina <krystina.koops@dpcdsb.org>; planification@csviamonde.ca
Cc: Lee, Jacqueline <Jacqueline.Lee@brampton.ca>
Subject: OZS-2020-0020 Notice of Application and Request for Comments DUE SEPT 10/2020

Good Morning,

Please find attached the **Notice of Application and Request for Comments** for the above noted file.

If you have any concerns please **contact the assigned Planner**, Jacqueline Lee at jacqueline.lee@brampton.ca

Please note comments are due to Jacqueline **by September 10, 2020**

Thank you and have a great day!

Shawntelle Trdoslavic

Development Services Clerk

Planning, Building and Economic Development

City of Brampton | 2 Wellington Street West | Brampton, Ontario | L6Y 4R2

shawntelle.trdoslavic@brampton.ca**Our Focus Is People** 

Please review the City of Brampton e-mail disclaimer statement at: <http://www.brampton.ca/EN/Online-Services/Pages/Privacy-Statement.aspx>

Sidhu, Tejinder

From: circulations@wsp.com
Sent: 2020/08/26 5:18 PM
To: Lee, Jacqueline
Subject: [EXTERNAL]Draft Plan of Subdivision (OZS-2020-0020), 0, 7646, 7660 and 7686 Kennedy Rd. S., Brampton.

Follow Up Flag: Flag for follow up
Flag Status: Flagged

2020-08-26

Jacqueline Lee

Brampton

, ,

Attention: Jacqueline Lee

Re: Draft Plan of Subdivision (OZS-2020-0020), 0, 7646, 7660 and 7686 Kennedy Rd. S., Brampton.; Your File No. OZS-2020-0020

Our File No. 87634

Dear Sir/Madam,

We have reviewed the circulation regarding the above noted application. The following paragraphs are to be included as a condition of approval:

“The Owner acknowledges and agrees to convey any easement(s) as deemed necessary by Bell Canada to service this new development. The Owner further agrees and acknowledges to convey such easements at no cost to Bell Canada.

The Owner agrees that should any conflict arise with existing Bell Canada facilities or easements within the subject area, the Owner shall be responsible for the relocation of any such facilities or easements at their own cost.”

The Owner is advised to contact Bell Canada at planninganddevelopment@bell.ca during the detailed utility design stage to confirm the provision of communication/telecommunication infrastructure needed to service the development.

It shall be noted that it is the responsibility of the Owner to provide entrance/service duct(s) from Bell Canada’s existing network infrastructure to service this development. In the event that no such network infrastructure exists, in accordance with the Bell Canada Act, the Owner may be required to pay for the extension of such network infrastructure.

If the Owner elects not to pay for the above noted connection, Bell Canada may decide not to provide service to this development.

To ensure that we are able to continue to actively participate in the planning process and provide detailed provisioning comments, we note that we would be pleased to receive circulations on all applications received by the Municipality and/or recirculations.

We note that WSP operates Bell Canada's development tracking system, which includes the intake and processing of municipal circulations. However, **all responses to circulations and requests for information, such as requests for clearance, will come directly from Bell Canada, and not from WSP.** WSP is not responsible for the provision of comments or other responses.

Should you have any questions, please contact the undersigned.

Yours truly,

Meaghan Palynchuk
Manager - Municipal Relations

Network Provisioning

T: 905-540-7254 / M: 289-527-3953

Email: planninganddevelopment@bell.ca

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies. You are receiving this communication because you are listed as a current WSP contact. Should you have any questions regarding WSP's electronic communications policy, please consult our Anti-Spam Commitment at www.wsp.com/cas. For any concern or if you believe you should not be receiving this message, please forward this message to cascompliance@wsp.com so that we can promptly address your request. Note that not all messages sent by WSP qualify as commercial electronic messages.

AVIS : Ce message, incluant tout fichier l'accompagnant (« le message »), peut contenir des renseignements ou de l'information privilégiés, confidentiels, propriétaires ou à divulgation restreinte en vertu de la loi. Ce message est destiné à l'usage exclusif du/des destinataire(s) voulu(s). Toute utilisation non permise, divulgation, lecture, reproduction, modification, diffusion ou distribution est interdite. Si vous avez reçu ce message par erreur, ou que vous n'êtes pas un destinataire autorisé ou voulu, veuillez en aviser l'expéditeur immédiatement et détruire le message et toute copie électronique ou imprimée. Vous recevez cette communication car vous faites partie des contacts de WSP. Si vous avez des questions concernant la politique de communications électroniques de WSP, veuillez consulter notre Engagement anti-pourriel au www.wsp.com/lcap. Pour toute question ou si vous croyez que vous ne devriez pas recevoir ce message, prière de le transférer au conformitelcap@wsp.com afin que nous puissions rapidement traiter votre demande. Notez que ce ne sont pas tous les messages transmis par WSP qui constituent des messages électroniques commerciaux.

-LAEhHhHdzJzBITWfa4Hgs7pbKl



October 30, 2020

City of Brampton
2 Wellington Street West
Brampton, Ontario L6Y 4R2
Attn: Jacqueline Lee

Re: Request for Comments
Madan Sharma – Kennedy Road Owners Group
7646, 7660 and 7686 Kennedy Road South
COB File: OZS-2020-0020
Alectra EP File: G5-51

Dear Jacquie,

As per your request for comments regarding the above project, we respond as follows:

A) Please include the following as conditions of approval:

- The owner/developer shall grant all necessary aerial or underground easements, as may be required to service this development, at no cost to Alectra Utilities. Alectra Utilities requires blanket easement on condominium developments. These will be confirmed during the final design of the roads and subdivision.
- The owner/developer shall enter to a servicing agreement (offer-to-connect) and will be responsible for the cost sharing as detailed in the offer-to-connect.
- The owner/developer shall be responsible for the costs associated with the hydro plant expansion to supply the development.
- The owner/developer shall be responsible for the costs of the relocation of existing plant to accommodate the new roads or driveways.

B) The owner/developer shall contact Alectra Utilities Subdivisions Department to obtain a subdivision application form (SAF) and to discuss the electrical service installation requirements and schedule. The owner/developer shall submit the SAF at least 6 months prior to the start of electrical distribution system (EDS) installation. SAF is available by visiting <https://alectrautilities.com/find-form?parent=9> (under Construction Services).

If you have any questions or concerns, feel free to contact me at 416.819.4975.

Yours Truly,

Henry Gamboa, CET
Supervisor, Distribution Design – Subdivisions



CANADA POST
2701 RIVERSIDE DRIVE SUITE N0820
OTTAWA ON K1A 0B1

CANADAPOST.CA

POSTES CANADA
2701 PROM RIVERSIDE BUREAU N0820
OTTAWA ON K1A 0B1

POSTESCANADA.CA

November 2, 2020

Jacqueline Lee

Development Planner
The City of Brampton
Planning & Development Services
2 Wellington St W
Brampton ON L6Y 4R2

Reference: **Notice of Application and Request for Comments**
Application for Proposed Draft Plan of Subdivision
MADAN SHARMA – KENNEDY ROAD OWNERS GROUP
7646, 7660 & 7686 Kennedy Road South
City File Number: **OZS-2020-0020**

Canada Post Corporation appreciates the opportunity to comment on the above noted application and it is requested that the developer be notified of the following:

This **residential** development will be serviced by **Community Mailbox (CMB)**.

In order to provide mail service to the proposed **72 +/-** residential units, Canada Post requests that the owner/developer comply with the following conditions:

- ⇒ The owner/developer will consult with Canada Post to determine suitable permanent locations for the placement of CMBs and to indicate these locations on appropriate servicing plans;
- ⇒ The owner/developer will confirm to Canada Post that the final secured permanent CMB locations will not be in conflict with any other utility; including hydro transformers, bell pedestals, cable pedestals, flush to grade communication vaults, landscaping enhancements (tree planting) and bus pads;
- ⇒ The owner/developer will install a concrete pad at each CMB location as well as any required walkway across the boulevard and any required curb depression for wheelchair access as per Canada Post's concrete pad specification drawings;
- ⇒ The owner/developer will agree to prepare and maintain an area of compacted gravel to Canada Post's specifications to serve as a temporary CMB location. This location will be in a safe area away from construction activity in order that CMB may be installed to service addresses that have occupied prior to the pouring of the permanent CMB pads. This area will be required to be prepared a minimum of 30 days prior to the date of first occupancy;
- ⇒ The owner/developer will communicate to Canada Post the excavation date for the first foundation (or first phase) as well as the expected date of first occupancy.
- ⇒ The owner/developer agrees, prior to offering any of the residential units for sale, to place a "Display Map" on the wall of the sales office in a place readily available to the public which indicates the location of the Canada Post CMB site location, as approved by Canada Post and the Town of Caledon;



- ⇒ The owner/developer agrees to include in all offers of purchase and sale a statement, which advises the prospective new home purchaser that mail delivery will be from a designated CMB, and to include the exact location thereof; and further, advise any affected homeowners of any established easements granted to Canada Post;

Should there be any concerns pertaining to our mail delivery policy requirements, please contact the undersigned.

Regards,

A handwritten signature in black ink, appearing to be "CF", written over a horizontal line.

Christopher Fearon
Delivery Services Officer | Delivery Planning
200-5210 Bradco Blvd
Mississauga ON L4W 1G7
416-433-6271
christopher.fearon@canadapost.ca



Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

October 23, 2020

Jacqueline Lee
Planner I
City of Brampton
2 Wellington Street West
Brampton ON, L6Y 4R2
Jacqueline.Lee@brampton.ca

**RE: Draft Plan of Subdivision
0, 7646, 7660, and 7686 Kennedy Road South
Kennedy Road Owners Group
Brampton
City File: OZS-2020-0020
Region File: 21T-20007B**

Dear Ms. Lee,

The Region has reviewed the materials submitted in support of the Draft Plan of Subdivision Plan for the above-noted application. Our comments and Draft Plan Conditions can be found below.

Region of Peel Conditions of Draft Approval

As per the Conditions of Draft Approval for Draft Plan of Subdivision 21T-20007B, the developer is required to fulfill the Conditions to the satisfaction of the Region. Release for Registration will not be provided by the Region until such time as all Regional requirements have been satisfactorily addressed.

General Comments

The following general comments are provided to assist the developer in the preparation of the related drawings.

Sanitary Sewer Facilities

- Municipal sanitary sewer facilities consist of existing 250mm diameter sanitary sewer on Kennedy Road South.

Water Facilities

- The lands are located in Water Pressure Zone 5
- Water facilities consist of existing 400mm diameter watermain along Kennedy Road South.

Functional Servicing Report

- The Region is in receipt of the Functional Servicing Report (dated March 2020) prepared by Valdor Engineering Inc. and finds the report satisfactory. Modelling of additional fire flow will be a requirement of site plan approval.

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

Development Charges

- The Developer acknowledges that the lands are subject to the Region's Development Charges By-law in effect from time to time. The applicable development charges shall be paid in the manner and at the times provided by this By-law.

Capital Budget

- There is no negative impact upon the Regional Capital Budget as this development does not create a need for sanitary sewer, watermain, or road improvements in the Five-Year Capital Budget and Forecast.

Waste Management Requirements

- The Region of Peel will provide curbside collection of garbage, recyclable, and organic material provided that future submissions satisfy the requirements outlined in Sections 2.0 and 3.0 of the Waste Collection Design Standards Manual.
- For more information, please consult the Waste Collection Design Standards Manual available at: <https://www.peelregion.ca/pw/standards/design/waste-collection-design-manual-2016.pdf>

Conditions of Draft Approval

The following requirements/conditions will be required to be satisfactorily addressed as they relate to the Region's Conditions of Draft Plan Approval:

1. Prior to registration of the subdivision, the Developer shall execute a Subdivision Agreement with the local municipality and Region.
2. The Owner acknowledges and agrees that prior to the issuance of building permits, satisfactory arrangements must be made with the Region with regard to water and sanitary sewer servicing applications and payments of the required connection charges.
3. All works associated with the servicing of this site will be at the applicant's expense. The applicant will also be responsible for the payment of applicable fees, DC charges, legal costs and all other costs associated with the development of this site.

A clause shall be included in the Subdivision Agreement in respect of same.

4. The owner is responsible for the removal of existing services that will not be utilized. Removal of said services shall be carried out in accordance with the Region's standards as amended from time to time and at the sole expense of the Applicant.

A clause shall be included in the Subdivision Agreement in respect of same.

5. The Developer agrees that prior to the Region granting clearance of the draft plan conditions of subdivision approval, the following shall require to be forwarded to the Region's Legal Services Division:
 - a. A copy of the final signed M-Plan
 - b. A copy of the final draft R-Plan(s); and
 - c. Easement and conveyance documents required pursuant to this Agreement and the registration of this plan.

A clause shall be included in the Subdivision Agreement in respect of same.

If you have any questions or concerns, please contact me (Alex.Martino@peelregion.ca)
905.791.7800 x4645) at your earliest convenience.

Yours truly,



Alex Martino
Planner, Development Services
Region of Peel

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

