

SUSTAINABILITY SCORE SNAPSHOT

APPLICATION DETAILS:

Project Name: Mocon-1879 Queen Street W

City File Number: PRE-2020-0020

Plan Type: Draft Plan



SUSTAINABILITY SCORE: **29**

THRESHOLD ACHIEVED: **BRONZE**

Landscape and Street Tree Planting/Preservation - Maintain Existing Healthy Trees

- [Minimum] When healthy tableland trees are proposed for removal, enhanced compensation is provided based on basal area.
- [Aspirational] 75% or more of the healthy mature trees greater than 20 cm DBH have been preserved in-situ.

Landscape and Street Tree Planting/Preservation - Soil Quantity and Quality

- [Minimum] All pits, trenches and/or planting beds have a topsoil layer greater than 60 cm with gradual change of soil quality (texture, porosity), organic matter content that varies from 2% to 7% in the top 30 cm of soil by dry weight, and a pH of 6.8 to 8.0. There is a minimum soil area of 30 m² at proper planting depth of unobstructed growing medium per tree.

% of Tree Canopy Within Proximity to Building/Pedestrian Infrastructure - % Canopy Coverage

- [Minimum] Street trees have been provided on both sides of streets according to the Municipal Standards.
- [Minimum] 50% of sidewalks will be shaded by trees within 10 years of development. If spacing is not feasible, street trees have been placed elsewhere on the site to maintain the proposed tree canopy (e.g. additional park trees, front or backyard trees).

Street Networks/Blocks - Block Perimeter/Length

- [Minimum] 75% of block perimeters do not exceed 550 m, and 75% of block lengths do not exceed 250 m.
- [Aspirational] 100% of block perimeters do not exceed 550 m, and 100% of block lengths do not exceed 250 m.

Street Networks/Blocks - Intersection Density

- [Aspirational] There are 51-60 street intersections.

Transit Supportive - Distance to Public Transit - Block and Draft Plans

- [Minimum] 50% of residents/employment are within 800 m walking distance to existing or planned commuter rail, light rail or subway with frequent stops; or 50% of residents/employment are within 400 m walking distance to 1 or more bus stops with frequent service.
- [Aspirational] 75% of residents/employment are within 800 m walking distance to existing or planned commuter rail, light rail or subway with frequent stops; or 75% of residents/employment are within 200 m walking distance to 1 or more bus stops with frequent service.

Natural Heritage - Connection to Natural Heritage

- [Aspirational] 50% of the total length of the natural heritage system is visually and physically connected (such as public access blocks, single loaded roads).

Parks - Park Accessibility

- [Minimum] Two or more road frontages have been provided for each urban square, parkette, and neighbourhood parks. Three road frontages been provided for each community park.

Stormwater - Stormwater Management Quality and Quantity

- [Minimum] The most intense rainwater event that the site can retain runoff from (in mm) is 5mm.

Energy Conservation - Building Energy Efficiency - Multi Family, Commercial, Residential, Institutional

- [Aspirational] There is expected energy savings of more than 55% for the proposed building relative to MNECB compliance.

Lighting - Reduce Light Pollution

- [Minimum] It is confirmed that lighting isn't included in the design and all exterior lighting fixtures >1,000 lumens are shielded to prevent night sky lighting.

Lighting - Energy Conserving Lighting

- [Minimum] LEDs and/or photocells have been used on all lighting fixtures exposed to the exterior.