

SUSTAINABILITY SCORE SNAPSHOT

Print



APPLICATION DETAILS

Project Name: 3420 Queen Street East

City File Number: PRE-2022-0020

Plan Type: Site Plan

Note: Scroll the following table to the right to view all the content



SUSTAINABILITY SCORE:

15

THRESHOLD ACHIEVED:

Land use Diversity Mix: Proximity to Lifestyle Amenities

- [Minimum] Select amenities are within 800 m walking distance of 50% or more of the Dwelling Units (DU) and/or jobs.
- [Aspirational] Select amenities are within 400 m walking distance of 75% or more of the Dwelling Units (DU) and/or jobs.

Landscape and Street Tree Planting/Preservation - Maintain Existing Healthy Trees

- [Aspirational] 75% or more of the healthy mature trees greater than 20 cm DBH have been preserved in-situ.

Landscape and Street Tree Planting/Preservation - Soil Quantity and Quality

- [Minimum] All pits, trenches and/or planting beds have a topsoil layer greater than 60 cm with gradual change of soil quality (texture, porosity), organic matter content that varies from 2% to 7% in the top 30 cm of soil by dry weight, and a pH of 6.8 to 8.0. There is a minimum soil area of 30 m² at proper planting depth of unobstructed growing medium per tree.

Site Accessibility - Number of Universally Accessible Points of Entry to Buildings and Sites

- [Minimum] 100% of Emergency Exits are Universally Accessible.
- [Aspirational] 100% of All Entrances and Exits are Universally Accessible.

Transit Supportive - Distance to Public Transit - Site Plans

- [Minimum] The site is within 800 m walking distance to an existing or planned commuter rail, light rail, bus rapid transit or subway with stops; or the site is within 400 m walking distance to 1 or more bus stops with frequent service.
- [Aspirational] The site is within 400 m walking distance to an existing or planned commuter rail, light rail, bus rapid transit or subway with stops; or, the site within 200 m walking distance to 1 or more bus stops with frequent service

Energy Conservation - Building Energy Efficiency - Multi Family, Commercial, Residential, Institutional

- [Aspirational] There is expected energy savings of more than 55% for the proposed building relative to MNECB compliance.