

Sustainability Score Snapshot


SUSTAINABILITY SCORE SNAPSHOT

APPLICATION DETAILS:

Project Name: 1030 Queen Street West

City File Number: PRE2020-0049

Plan Type: Site Plan



SUSTAINABILITY SCORE: **53**

THRESHOLD ACHIEVED: **SILVER**

Land use Diversity Mix: Proximity to Basic Amenities

- [Minimum] Select amenities are within 800 m walking distance of 50% or more of the Dwelling Units (DU) and/or jobs.
- [Aspirational] Select amenities are within 400 m walking distance of 75% or more of the Dwelling Units (DU) and/or jobs.

Land use Diversity Mix: Proximity to Lifestyle Amenities

- [Minimum] Select amenities are within 800 m walking distance of 50% or more of the Dwelling Units (DU) and/or jobs.
- [Aspirational] Select amenities are within 400 m walking distance of 75% or more of the Dwelling Units (DU) and/or jobs.

Landscape and Street Tree Planting/Preservation - Maintain Existing Healthy Trees

- [Minimum] When healthy tableland trees are proposed for removal, enhanced compensation is provided based on basal area.
- [Aspirational] 75% or more of the healthy mature trees greater than 20 cm DBH have been preserved in-situ.

Site Accessibility - Universal Design

- [Minimum] 20% of buildings are designed in accordance with Universal Design and Accessibility guidelines (i.e. ICC/ANSI A117.1 or equivalent).

Site Accessibility - Number of Universally Accessible Points of Entry to Buildings and Sites

- [Minimum] 100% of Emergency Exits are Universally Accessible.

Landscape and Street Tree Planting/Preservation - % Tree Canopy Within Proximity to Building/Pedestrian Infrastructure

- [Minimum] 50% of sidewalks will have shade provided by trees within 10 years of development. If spacing is not feasible, street trees have been placed elsewhere on the site to maintain the proposed tree canopy (e.g. additional park trees, front or backyard trees).

Parking - Bicycle Parking - Multi-Family Buildings

- [Minimum] A minimum of 0.6 biking stalls per unit have been provided. Additionally, a minimum of 5% of the bike parking been provided at grade.
- [Aspirational] A minimum of 0.8 biking stalls per unit have been provided. Additionally, a minimum of 10% of the bike parking has been provided at grade.

Parking - Off-Street Parking

- [Minimum] All new off-street parking has been located beside or behind a building.

- [Aspirational] Structure parking has been consolidated for 85% or more of the surface parking.

Parking - Surface Parking

- [Minimum] A strategy has been developed to minimize surface parking for permanent employees and residents.

Pedestrian Connections - Proximity to School

- [Minimum] 50% of dwelling units are within 800 m walking distance of public/private elementary, Montessori, and middle schools.
- [Minimum] 50% of dwellings units are within 1600 m of public/private high schools.
- [Aspirational] 75% of dwellings units are within 1000 m of public/private high schools.

Cultural Heritage Resources - Cultural Heritage Conservation

- [Minimum] Cultural heritage conservation policies under provincial legislation (i.e. the Ontario Heritage Act, Planning Act and PPS, etc.), Municipal Official Plan, Municipal By-laws, and "The Standards and Guidelines for the Conservation of Historic Places in Canada" have been adhered to.
- [Minimum] All properties included in the Municipal Heritage Registers (listed and designated) have been evaluated.

Site Permeability - Connectivity

- [Aspirational] Amenities and street furniture (benches, additional bike parking, landscaping) have been provided along connections on the site and between the site and adjacent destinations.

Transit Supportive - Distance to Public Transit - Site Plans

- [Minimum] The site is within 800 m walking distance to an existing or planned commuter rail, light rail, bus rapid transit or subway with stops; or the site is within 400 m walking distance to 1 or more bus stops with frequent service.
- [Aspirational] The site is within 400 m walking distance to an existing or planned commuter rail, light rail, bus rapid transit or subway with stops; or, the site within 200 m walking distance to 1 or more bus stops with frequent service

Walkability - Promote Walkable Streets

- [Aspirational] 100% of streets have continuous sidewalks, or equivalent provisions, provided on both sides of streets where not required by Municipal standards.

Stormwater - Stormwater Management Quality and Quantity

- [Minimum] The most intense rainwater event that the site can retain runoff from (in mm) is 5mm.

Stormwater - Rainwater Re-Use

- [Aspirational] Rainwater is collected on site and used for low-grade functions.

Energy Conservation - Building Energy Efficiency - Single Family

- [Minimum] Single family homes and multi-unit residential buildings have been built to EnerGuide 83 or equivalent.

Energy Conservation - Building Energy Efficiency - Multi Family, Commercial, Residential, Institutional

- [Aspirational] There is expected energy savings of more than 55% for the proposed building relative to MNECB compliance.

Materials and Solid Waste Management - Solid Waste

- [Minimum] For Multi-Unit, Commercial, Retail and Institutional buildings, storage and collection areas for recycling and organic waste are within or attached to the building. Alternatively, deep collection recycling and organic waste storage facilities are provided