



SCHEDULE "A" CONDITIONS OF DRAFT APPROVAL (DRAFT)

DRAFT APPROVAL

DATE: (Day After Last Day for Filing an Appeal if No Appeal has been Filed)

APPLICANT: Sheridan Capital Management – Matthews Planning & Management Inc.

SUBJECT: Draft Plan of Subdivision
21T-23002B
City of Brampton
OZS-2023-0002
Planner: Chinoye Sunny

In accordance with By-law 10-97 the Council of the City of Brampton has made a decision to authorize the draft approval of the above noted draft plan of subdivision subject to the following conditions.

Approved Plan and Redlines

1. The final plan shall conform to the draft plan prepared by Candevcon Ltd. dated September 20, 2022.

Subdivision Agreement

2. Prior to registration, the owner shall enter into a Subdivision Agreement and any other agreements deemed necessary by the City of Brampton, Region or any other approval authority.

These agreements shall deal with any matter and include any term or condition which an approval authority may require, where such matters, terms, or conditions, are reasonable in the opinion of the approval authority, having regard to the nature of the development proposed for the subdivision, in accordance with s.51 of the Planning Act. These agreements may address matters including but not limited to the following:

- 2.1 Planning matters such as parkland/open space dedications and development, residential reserves, buffer blocks, tree preservation, trails, site development plan, utilities, architectural control, homebuyers' information map, heritage conservation and landscape plan approvals, phasing/staging of development, warning clauses and notices.
- 2.2 Engineering matters such as municipal services, road widening, construction and reconstruction, transit infrastructure, traffic signals, grading, fencing, well monitoring, septic systems, waste management, pressure testing/chlorination, noise mitigation and warning clauses.
- 2.3 Financial issues such as cash contributions, levies (development charges), land



dedications or reserves, securities or letters of credit.

- 2.4 Details regarding all matters and requirements referenced in these conditions of draft approval may be provided by way of Comments and Conditions Memos from approval authorities, or from agencies and departments of the City and/or Region, in response to the circulation of the draft plan of subdivision. The conditions expressly identified in the Comments and Conditions Memos as referenced and/or attached to this draft approval and/or any such additional or amended Comments and Conditions Memos as may be provided to the owner in accordance with this draft approval shall be deemed to be conditions for the purposes of this draft approval. General requirements of the City's Subdivision Manual, Development Design Guidelines, Region's Design Criteria and Material Specification Manual, and Landscape Guidelines, as applicable and as amended or replaced from time to time, shall be implemented through the terms and conditions of the Subdivision Agreement.

Fees

3. Prior to registration, all processing and administrative fees shall be paid. Such fees will be charged at prevailing rates of approved City and Regional Policies and By-laws on the day of payment.

Zoning

4. The Zoning By-law implementing the subject plan shall be approved under Section 34 of the Planning Act, R.S.O. 1990, c.P.13, as amended, and be in full force and effect prior to registration of the plan.

Easement and Land Dedication within the Plan

5. Prior to registration of the Plan, the owner shall gratuitously convey and/or dedicate any required road or highway widening, 0.3 m (1 ft.) reserves, walkways, sight triangles, radius roundings, buffer blocks other land required for municipal purposes and utility or drainage easements to the satisfaction of the City, Region, or other authority.
6. All lands which are to be conveyed to the City shall be free and clear of any and all encumbrances, unless otherwise approved by the City.

External Easements and Land Dedications

7. Prior to registration, the owner shall gratuitously convey all necessary external easements and lands for access, drainage, servicing, utility purposes and for any other municipal purposes, as may be required, to the appropriate municipality, agency or public authority. The owner is advised that no servicing works shall be permitted until the detailed engineering drawings are approved and external easements and lands granted.
8. All lands which are to be conveyed to the City shall be free and clear of any and all encumbrances, unless otherwise approved by the City.



9. Where the City has required as a condition of registration that the owner convey lands gratuitously to the City for municipal purposes, and where the lands have been so conveyed to the City, and where prior to assumption of the plan the City determines in its sole and absolute discretion that said lands (or any interest therein) are surplus to its requirements and are no longer required, then the City may reconvey said lands (or any interest therein) to the Owner, gratuitously, provided that the Owner shall be required to pay for any fees, taxes, and/or disbursements related to the reconveyance, including but not limited to registration fees and the cost of preparing and filing a reference plan.

Parkland Dedication

10. Parkland Dedication requirements for the plan shall be in accordance with the Planning Act R.S.O. 1990, c.P.13 as amended (the Planning Act), the City's Parkland Dedication By-law, as amended and Parks Planning Comments and Conditions Memo.

Studies

11. Prior to registration, the owner shall provide all outstanding reports, plans or studies required by the appropriate Municipality, agency or public authority and the approved recommendations shall be incorporated into the plans, agreements or otherwise implemented to the satisfaction of the City in consultation with the applicable agency and/or public authority.

Staging

12. Development of the plan shall be staged to the satisfaction of the City and the Region in accordance with the approved Growth Management Staging and Sequencing Strategy. In this regard provision shall be made in the subdivision agreement to allow for the registration of this plan in phases, only in accordance with the approved Growth Management Staging and Sequencing Strategy.
13. Where a Growth Management Staging and Sequencing Strategy has not been required by the City, staging shall be based on the timing of essential services that serve the plan including, but not limited to: servicing capacity, road improvements, school availability, etc. In this regard the owner shall agree to enter into a phasing agreement, the provisions of which may be incorporated into the Subdivision agreement to allow the registration of this plan in phases.

Drawings

14. Prior to registration the owner shall submit drawings to the satisfaction of the City in consultation with the applicable agency and/or public authority for approval.

Servicing

15. Prior to registration, the recommendations of the approved Functional Servicing Report shall have been incorporated into all engineering plans.

Plan Requirements for All Public Lands

16. The Owner shall provide detailed working drawings for all identified park blocks, NHS, landscape buffer blocks, streetscape planting, walkways and fencing to the satisfaction of the applicable approving departments and in accordance with the latest City standards. Fencing shall be included along the properties of non-participating landowners where they abut the plan, subject to the approval of the existing property owners. The Owner shall comply with both the facility fit/concept plan approved prior to draft plan approval and/or the recommendations of the approved Design Brief.

Development of Public Lands

17. The Owner agrees that they are responsible for the development of all dedicated parks and open space (e.g. Neighbourhood Parklands, valleylands, open space and landscape buffer blocks) in accordance with the approved plans. Details regarding this requirement shall be finalized and included in the Subdivision Agreement subject to the satisfaction of the City.

Maintenance Fees

18. The Subdivision Agreement shall provide that the owner shall contribute a maintenance fee for any landscape item deemed necessary by the owner, but which exceeds the City standard. This may include, but not limited to special entry feature structures and centre medians, irrigation systems, acoustical walls and architectural landscape elements located on public property.

Municipal Addressing

19. The applicant shall forward the final version of the proposed plan of subdivision to be registered in digital format (AutoCAD to the Digital Innovation & Information Technology department for uploading to the City's GIS system.

Building Removal

20. The Subdivision Agreement shall provide that the owner shall remove any existing buildings on the site.

0.3m Reserves

21. 0.3m Reserves will be required on Industrial, Commercial, Institutional, School, High-Density lots, across the terminus of roads to later be extended, and at the ends of cul-de-sacs.

Residential Reserve Block

22. The Subdivision Agreement shall provide that Residential Reserve Blocks shall only be



developed in conjunction with adjacent lands and the City shall be satisfied prior to registration of the plan that the blocks, when combined with adjacent lands, will permit development in accordance with the zoning by-law. In this regard, the owner shall place these blocks in a condition satisfactory to the City and erect signs prohibiting trespassing and dumping, also to the satisfaction of the City, within 6 months of the issuance of any building permit for any dwelling on the plan.

21. 0.3m Reserves will be required on Industrial, Commercial, Institutional, School, High-Density lots, across the terminus of roads to later be extended, and at the ends of cul-de-sacs.

Access & Site Servicing – Sale of Lots / Blocks

22. The Owner acknowledges and agrees in the Subdivision Agreement that the registration and development of this plan is dependent on the services provided on the adjacent plans for access and servicing. The Owner agrees to:
 - 22.1 Not offer for sale to the public and Lots or Blocks in this plan until the owner has obtained an easement or provided in full to the satisfaction of the City's Commissioner of Public Works & Engineering, in favour of the City, from the affected land owners, as required, for a stormwater management facility, outlet, and overland flow route supporting the servicing of this plan.
 - 22.2 Not offer for sale to the public any Lots or Blocks in this plan until the owner has obtained an easement or satisfactory arrangements to the satisfaction of the City's Commissioner of Public Works & Engineering, in favour of the City, from the affected land owners as required, for vehicular access.
 - 22.3 Not offer for sale to the public any Lot of Blocks in this plan until the holding provision within the Zoning By-law have been lifted.

Prior to the Sale of Units

23. The Owner acknowledges and agrees in the Subdivision Agreement that prior to the sale of any units within the subdivision, to update any and all plans, studies, and reports required to be updated in the discretion of the City, to the satisfaction of all applicable Commissioners. Furthermore, the Owner shall implement all recommendations of such updated plans, studies and reports, including but not limited to gratuitously conveying additional lands and easements to the City, all to the satisfaction of the applicable Commissioner prior to the sale of any units within the subdivision.



Cost-share Agreement

24. Prior to registration the owner shall sign the Landowners Cost Share Agreement (or other named agreement), and provide the City with a written acknowledgment from the Trustee appointed pursuant to the agreement, that the owner has signed the agreement and has delivered the deeds or made the payments required by the agreement, and that the plan may be released for registration.

School Boards

25. Prior to final approval, the City of Brampton shall be advised by the School Board(s) that satisfactory arrangements regarding the adequate provision and distribution of educational facilities have been made between the owner and the School Boards for this Plan.

Dufferin-Peel Catholic District School Board

26. The owner shall undertake the following to the satisfaction of the Peel District School Board:
- a) The acquisition or reservation for future acquisition of Block 1 designated in the plan for catholic elementary purposes.
 - b) The clearing, grubbing, engineered filing, where required, and grading of Block 1 be carried out to the satisfaction of the Dufferin-Peel Catholic District School Board. This includes the removal of any and all buildings and structures, tanks and utility structures.
 - c) A clause and securities be included in the Servicing and/or Subdivision agreement which prohibits the stockpiling of any soils or material on Block 1 and guarantees the existing stockpiled material be removed.
 - d) That the designation of Block 1 as an elementary catholic school site, which shall be subject to the completion of soils reports, of which the findings will be addressed by the applicant to the satisfaction of the Dufferin-Peel Catholic District School Board.
 - e) That prior to registration of the plan, that farm fencing be erected around the perimeter of Block 1 to the satisfaction of Dufferin-Peel Catholic District School Board.
 - f) A clause to be included in the Servicing and/or Subdivision agreement stating that community mailboxes, temporary or permanent, will not be located on any boulevard adjacent to proposed school Block 1.
 - g) A clause to be included in the Servicing and/or Subdivision agreement indemnifying the school board of any and all requirements to install and maintain



neighbourhood gateway and/or entry features on proposed school Block 1.

- h) A clause to be included in the Servicing and/or Subdivision agreement indemnifying the school board of any all requirements to install and maintain off-site improvements required to develop Block 1 as a school block (including but not limited to medians and/or centre islands, street lights, turning lanes, etc.)
- 27. That the applicant shall agree in the Servicing and/or Subdivision Agreement to erect and maintain information signs at all major entrances to the proposed development advising the following: "Please be advised that students may be accommodated elsewhere on a temporary basis until suitable permanent pupil places, funded by the Government of Ontario, are available." These signs shall be to the Dufferin-Peel Catholic District School Board's specifications, at locations determined by the Board and erected prior to registration.
- 28. That the applicant shall agree in the Servicing and/or Subdivision Agreement to include the following warning clauses in all offers of purchase and sale of residential lots until the permanent school for the area has been completed.
- 29. The owner shall agree in the subdivision agreement to erect signs at all major entrances to the proposed development advising of the following:

"Notice: Please be advised that students may be accommodated elsewhere on a temporary basis until suitable permanent pupil places, funded by the Government of Ontario, are available."
- 30. These signs shall be to the Dufferin-Peel Catholic District School Board's specifications, at locations determined by the Board and erected prior to registration.

The following clauses to the satisfaction of the Dufferin-Peel Catholic District School Board:

"Whereas, despite the best efforts of the Dufferin-Peel Catholic District School Board, sufficient accommodation may not be available for all anticipated students from the area, you are hereby notified that students may be accommodated in temporary facilities and/or bussed to a school outside of the neighbourhood, and further, that students may later be transferred to the neighbourhood school."

"That the purchasers agree that for the purpose of transportation to school, the residents of the subdivision shall agree that children will meet the bus on roads presently in existence or at another place designated by the Board."

Peel District School Board

- 31. PDSB requests that the developer agree to erect and maintain signs at the entrances to the development which shall advise prospective purchasers that due to present school accommodation pressures, some of the children from the development may have to be



accommodated in temporary facilities or bused to schools, according to the Peel District Board's Transportation Policy. These signs shall be to the School Boards specifications and at locations determined by the Board.

32. The following clauses in any agreement of purchase and sale entered into with respect to any units in the plan to the satisfaction of the Peel District School Board for a period of five (5) years from the date of registration of the Plan:

"Whereas despite the best efforts of the Peel District School Board, sufficient accommodation may not be available for all anticipated students in neighbourhood schools, you are hereby notified that some students may be accommodated in temporary facilities or bused to schools outside of the area, according to the Board's Transportation Policy. You are advised to contact the School Accommodation Department of the Peel District School Board to determine the exact schools."

"The purchaser agrees that for the purposes of transportation to school the residents of the development shall agree that children will meet the school bus on roads presently in existence or at another designated place convenient to the Board."

33. Prior to final approval, the City of Brampton shall be advised by the School Board(s) that satisfactory arrangements regarding the provision and distribution of educational facilities have been made between the developer/applicant and the School Board(s) for this plan.

Canada Post

Prior to the registration of the subdivision, the owner shall:

34. Consult with Canada Post to determine suitable permanent locations for the placement of Community Mailboxes and to indicate these locations on appropriate servicing plans.
35. Confirm to Canada Post that the final secured permanent locations for the Community Mailboxes will not be in conflict with any other utility; including hydro transformers, bell pedestals, cable pedestals, flush to grade communication vaults, landscaping enhancements (tree planting) and bus pads.
36. Install concrete pads at each of the Community Mailbox locations as well as any required walkways across the boulevard and any required curb depressions for wheelchair access as per Canada Post's concrete pad specification drawings.
37. Agree to prepare and maintain an area of compacted gravel to Canada Post's specifications to serve as a temporary Community Mailbox location. This location will be in a safe area away from construction activity in order that Community Mailboxes may be installed to service addresses that have occupied prior to the pouring of the permanent mailbox pads. This area will be required to be prepared a minimum of 30 days prior to the date of first occupancy.



38. Communicate to Canada Post the excavation date for the first foundation (or first phase) as well as the expected date of first occupancy.
39. Prior to offering any of the residential units for sale, to place a "Display Map" on the wall of the sales office in a place readily available to the public which indicates the location of all Canada Post Community Mailbox site locations, as approved by Canada Post and the City of Brampton.
40. Include in all offers of purchase and sale a statement, which advises the prospective new home purchaser that mail delivery will be from a designated Community Mailbox, and to include the exact locations (list of lot #s) of each of these Community Mailbox locations; and further, advise any affected homeowners of any established easements granted to Canada Post.
41. Be responsible for officially notifying the purchasers of the exact Community Mailbox locations prior to the closing of any home sales with specific clauses in the Purchase offer, on which the homeowners do a sign off.

Enbridge Gas Distribution

Prior to the registration of the subdivision, the owner shall:

42. Contact Enbridge Gas Distribution's Customer Connections Department by emailing SalesArea20@enbridge.com for service and meter installation details and to ensure all gas piping is installed prior to the commencement of site landscaping (including, but not limited to: tree planting, silva cells, and/or soil trenches) and/or asphalt paving.
43. Agree that if the gas main needs to be relocated as a result of changes in the alignment or grade of the future road allowances or for temporary gas pipe installations pertaining to phase construction, all costs are the responsibility of the applicant.
44. Agree that any easement(s) that are required to service this development and any future adjacent developments will be provided to Enbridge Gas Distribution at no cost.
45. That the Owner shall ensure to grade all road allowances to as close to final elevation as possible, provide necessary field survey information and all approved municipal road cross sections, identifying all utility locations prior to the installation of the gas piping.

Rogers Telecommunications

Prior to registration of the subdivision, the owner shall:

46. At its own cost, grant all necessary easements and maintenance agreements required by those CRTC-licensed telephone companies and broadcasting distribution companies intending to serve the Subdivision (collectively the "Communications Service Providers"). Immediately following registration of the Plan of Subdivision, the owner will cause these documents to be registered on title.



47. With consultation with the applicable utilities and Communications Service Providers, prepare an overall utility distribution plan that shows the locations of all utility infrastructure for the Subdivision, as well as the timing and phasing of installation.

Bell Canada

Prior to the registration of the subdivision, the owner shall:

48. Agree in the subdivision agreement, in words satisfactory to Bell Canada, to grant to Bell Canada any easements that may be required for telecommunication services. Easements may be required subject to final servicing decisions. In the event of any conflict with existing Bell Canada facilities or easements, the owner/owner shall be responsible for the relocation of such facilities or easements.
49. Shall agree in the agreement, in words satisfactory to Bell Canada, that Bell Canada requires one or more conduit or conduits of sufficient size from each unit to the room(s) in which the telecommunication facilities are located to the street line.

Alectra Utilites

Prior to the registration of the subdivision, the owner shall:

50. Grant all necessary aerial or underground easements, as may be required. These will be confirmed during the final design of the road and subdivision.
51. Observe all aerial and underground clearances, as may be required.
52. Be responsible for the costs of the relocation of existing plant to accommodate the new road(s).
53. Contact Alectra Utilities (Brampton Hydro) Subdivisions Department for the availability of adjacent plant capable of servicing this site and to discuss the electrical service installation requirements and schedule.
54. The owner/developer or their representative is strongly advised to consult Alectra Utilities' (Brampton Hydro's) Conditions of Service, as they must adhere to all the conditions. This can be found on our web site at www.bramptonhydro.com.

Toronto and Region Conservation Authority

Red-line Revisions

55. The final Plan shall be in general conformity with the draft plan prepared by Candevcon Limited, dated September 20, 2022, prior to a request for clearance of any phase of this plan, to:
 - a) Include appropriate blocks that are to be conveyed to the City of Brampton or TRCA as appropriate to the satisfaction of the City of Brampton and TRCA.
 - b) Meet the requirements of TRCA's conditions, including the adjustment of block



lot lines to the satisfaction of the City of Brampton and TRCA as a result of the completion of required studies.

- c) Should the above not be adequately addressed in the Plan, red-line revision will be required to the satisfaction of the TRCA, to address TRCA's requirements with respect to these conditions.

56. Prior to registration of the Plan of Subdivision, provide an M-Plan showing the adjusted block lines, additional blocks and any other required revisions to the satisfaction of the City of Brampton and the TRCA.

Prior to Works Commencing

57. That prior to any development, pre-servicing or site alteration, or registration of this plan or any phase thereof, the applicant shall submit and attain the approval of the TRCA for:

- a) A detailed engineering report (i.e., Stormwater Management and Site-Level Water Balance) that describes in detail the applicable stormwater management criteria (i.e., quantity, quality, erosion control, and water balance), how the proposed storm drainage system will be designed to meet the stormwater management criteria, and how it will comply with all related master servicing plans (i.e., Functional Servicing Report) and TRCA requirements. This report shall include, but is not limited to:
 - i. Plans illustrating the existing drainage systems internal and external to the site, and how the proposed drainage plan will tie into surrounding drainage systems. Plans which demonstrate the proposed stormwater management techniques which are required to control minor or major flows. Confirmation must be provided with respect to how target flows as per the hydrologic studies will be achieved during and post-development.
 - ii. Provide provisions for appropriately sized Stormwater Management Practices (SWMPs) to be used to treat stormwater, to mitigate the impacts of development on the quality, quantity, and volume of ground and surface water resources, , in accordance with TRCA's current Stormwater Management Guidelines. The existing drainage patterns should be maintained, to the greatest extent possible, and the existing hydrologic function of any wetlands is to be maintained, consistent with TRCA's guidelines.
 - iii. Proposed methods for controlling or minimizing erosion and siltation on-site and/or in downstream areas during and after construction, in accordance with the TRCA's Erosion and Sediment Control (ESC) guidelines (dated 2019) utilized by the TRCA. Erosion and sediment control plans and a report addressing phasing and staging, consistent with TRCA's guidelines must be included.
 - iv. Detailed plans indicating location, orientation, size and description of all stormwater management features, including outlet structures, all other proposed servicing facilities (i.e., lot level LIDs, pumping stations, access roads), grading, site alterations, development, infrastructure and watercourse alterations, which are required to service or facilitate the



- development of the subject lands, which may require a permit pursuant to Ontario Regulation 166/06, the Authority's Development, Interference with Wetlands and Alterations to Shorelines and Watercourses Regulation.
- v. Mapping of proposed stormwater management measures, with consideration for grade differentials and grading required.
 - vi. Measures for minimizing and mitigating erosion related impacts on downstream areas (during and post construction), which are to be integrated into the stormwater management plan to the satisfaction of the TRCA.
 - vii. Design of flow dispersal measures associated with the stormwater management outlets to reduce potential erosion and maximize potential infiltration, and the integration of a naturalized outlet channel and/or wetland, where applicable, to the satisfaction of the TRCA.
 - viii. Stormwater Management facility and outlet design details. Design requirements shall conform to the requirements outlined in the Ministry of Environment, Conservation and Parks (MECP) 2003 "Stormwater Management Planning and Design Guide", TRCA's Stormwater Management Criteria Document, and TRCA's LID Stormwater Management Planning and Design Guide, and all applicable City of Brampton design standards.
- b) A groundwater constraint assessment that will examine existing groundwater levels in relation to the proposed development, underground construction and servicing and stormwater management infrastructure. If impacts to groundwater levels are anticipated, any potential impacts to surface water receivers and their inherent hazards must be assessed and any potential impacts mitigated, to the satisfaction of the TRCA.
- c) Information detailing all anticipated temporary dewatering that may be required during the construction phases, including anticipated volumes, duration, discharge locations, and filtration media – as required, to the satisfaction of the TRCA, for the purposes of dewatering whether the control of erosion may be impacted and whether a TRCA permit is required.
- d) Overall Site-Level Water Balance Report that will identify measures that will be implemented during and pre and post-development that:
- i. Mimic the pre-development surface and groundwater balance for the overall site to the greatest extent achievable;
 - ii. Demonstrate how post-development conditions will retain a minimum of the first 5mm of rainfall over the entire site to the satisfaction of the TRCA;
 - iii. Mitigate against any potential on-site or downstream erosion associated with the stormwater management system;
 - iv. Maintain baseflow contributions at pre-development levels, duration, and frequency, in all areas of affected watercourses to the satisfaction of TRCA staff.
- e) That the applicant obtains all Ontario Regulation 166/06 permits from the TRCA for all works proposed on the subject property for which permits would be required.
- f) That the size and location of Stormwater Management Blocks and LID measures, and any stormwater management infrastructure utilized for quantity and quality control, be



confirmed to the satisfaction of the TRCA. And, if required to meet TRCA requirements, red-line revisions be made to the plan to expand these blocks, or modify their size or configuration into the surrounding lands within this subdivision which are currently proposed for development.

Subdivision Agreement

58. That the owner agrees in the subdivision agreement, in wording acceptable to the TRCA:
- a) To carry out, or cause to be carried out, to the satisfaction of the TRCA, the recommendations of the technical reports and plans referenced in TRCA's conditions.
 - b) To implement the requirements of the TRCA's conditions in wording acceptable to the TRCA.
 - c) To design and implement on-site erosion and sediment controls in accordance with current TRCA standards.
 - d) To maintain all stormwater management and erosion and sedimentation control structures operating and in good repair during the construction period, in a manner satisfactory to the TRCA.
 - e) To obtain all necessary permits pursuant to Ontario Regulation 166/06 from the TRCA.
 - f) To erect a permanent fence to the satisfaction of the TRCA on all lots and blocks abutting natural areas and their buffers (if gratuitously dedicated to the TRCA).
 - g) To implement all water balance/infiltration measures, including side slope swales, identified in the submitted studies that have or are to be completed for the subject property.
 - h) Implement all adaptive management and mitigation measures identified in the submitted design reports that have or are to be completed for the subject property.
 - i) To design the final monitoring protocol, obtain approvals, and monitor the hazards and features identified through the supporting studies and to maintain the environmental and engineering measures to be implemented in accordance with submitted studies. And to provide for the long-term monitoring of the system as agreed in the final monitoring protocol and submit such monitoring reports to the TRCA on the agreed upon frequency.
 - j) To provide for planting, and enhancement of the valley corridor and buffer areas in accordance with the drawings approved by the TRCA. And that monitoring and replanting of these areas be completed for a minimum 3-year period, to the satisfaction of the TRCA, with sufficient funds being secured through Letter of Credit in favour of the City of Brampton, or other appropriate measure.
 - k) To provide for the warning clauses and information identified in TRCA's conditions.
 - l) That where required to satisfy TRCA's conditions, development shall be phased within this plan.
 - m) That prior to a request for renewal of draft approval of any phase of this subdivision, that the owner consult with the TRCA with respect to whether the technical studies submitted in support of this development remain to meet current day requirements, and that the owner update any studies and plans, as required, to reflect current day requirements.
 - n) To carry out, or cause to be carried out the cleaning-out and maintenance of all stormwater management infrastructure (including best management practice



measures) prior to assumption of the subdivision by the City of Brampton. And, to include appropriate clauses in all agreements of purchase or sale agreements, for lots and blocks on which stormwater management measures are being constructed to identify the presence of such measures and to clearly identify the owner's responsibilities for long-term maintenance, and any restrictions to uses on any portion of their property that these may require.

Implementing Zoning By-law

59. That the implementing Zoning By-law recognize the valley corridor and adjacent environmental buffer block in a suitable zoning category which has the effect of prohibiting development and structural encroachment and ensuring the long-term preservation of the lands in perpetuity, to the satisfaction of the TRCA.

Hydro/Telecommunications

60. Prior to the release of the plan for registration, the owner must submit in writing, evidence to the Commissioner, Planning, Building, and Growth Management that satisfactory arrangements have been made with the telecommunications and hydro providers for the installation of their plants in the common trench, within the prescribed location in the road allowances.

Region of Peel

61. Prior to execution of the Subdivision Agreement by the Region, the Developer shall:
- Obtain and submit to the Region a Residential Development Charges Payment Form completed to the best of the Developer's knowledge at the time of the submission and to the satisfaction of the Region in accordance with the engineering drawings and final draft M-plan; and
 - Pay to the Region the appropriate hard service residential development charges (water, wastewater and road service components), pursuant to the Region's Development Charges By-law, as amended from time to time, calculated based on the information provided in the Residential Development Charges Payment Form.
62. Provision shall be made in the Subdivision Agreement with respect to:
- Payment to the Region of appropriate soft service development charges and any outstanding hard service development charges; and
 - Collection of development charges for future residential development blocks (non-freehold townhouses or apartment blocks); pursuant to the Region's Development Charges By-law, as amended from time to time.
63. In respect of the water meter fees:
- Prior to registration of the plan of subdivision, the Developer shall pay to the Region the appropriate water meter fees, in accordance with the Region's Fees By-law, as amended from time to time for residential building lots (singles, semidetached and freehold townhomes) to the satisfaction of the Region in accordance with the engineering drawings and final draft M-plan for the Lands;
 - A clause shall be included in the Subdivision Agreement that water meter fees for future residential development (non-freehold townhouses or apartment blocks) and commercial blocks shall be payable to the Region prior to issuance of building



- permits, in accordance with the Region's Fees By-law, as amended from time to time; and
- c) A clause shall be included in the Subdivision Agreement that in the event of an underpayment of water meter fees, the Developer shall be responsible for payment thereof forthwith upon request.
64. As a condition of registration of this Plan or any phase thereof, the Developer shall gratuitously dedicate, free and clear of all encumbrances and to the satisfaction of the Region:
- a) A road widening pursuant to the Region's Official Plan along The Gore Road Regional Road #8 as below:
 - i. Mid-block Right-of-Way requirement is 45 meters, 22.50 meters measured from centreline of The Gore Road,
 - ii. 245 meters within a municipal intersection, Right-of-Way requirement is 50.5 meters, 25.25 meters measured from centerline of The Gore Road;
 - iii. 4.5m buffer block along the frontage of The Gore Road, in front of Lot 1;
 - iv. 0.3 metre reserve along the frontage of The Gore Road and behind the daylight triangles.
 - b) all necessary easements for proposed and existing Regional infrastructures as required by the Region to service the proposed Plan and external lands.

All costs associated with land transfers and easements shall be 100% the responsibility of the Developer. Clauses shall be included in the Subdivision Agreement in respect of same.

65. Clauses shall be included in the Subdivision Agreement in respect of:
- a) No lots or blocks shall have direct access to The Gore Road.
 - b) The Developer shall remove any existing driveway/accesses along the frontage of The Gore Road that do not conform to the approved plans at its sole cost.
66. Prior to any grading, servicing and construction, the Developer shall obtain from the Region's Public Works Department a road occupancy/construction access permit for all works within the Region's road right-of-way and obtains such permit at least 48 hours prior to the commencement of work. Additional documentation, fees and securities will be required with respect to the works for which the permit was obtained. All costs associated with the road works within the Region's right-of-way shall be borne entirely by the Developer.

A clause shall be included in the Subdivision Agreement in respect of same.

67. The location, design and implementation of the construction access for the subdivision work must be acceptable to the Region and interim road works may be required to that effect. All costs associated with the construction access works to facilitate the development shall be 100% borne by the Developer. A Letter of Credit for 100% of the estimated cost of construction access works will be required by the Region prior to any approvals.



68. The Developer shall acknowledge and agree that:

- a) Landscaping, signs, cranes, fences, gateway features, and any other encroachments will not be permitted within the Region's easements and right-of-way limits.
- b) The Region will not permit any alteration to grading within The Gore Road and right-of-way along the frontage of the Lands.
- c) Noise walls adjacent to Regional roads if required, shall be installed at the property line and be to the City of Brampton's Noise Wall specifications with steel posts. Region's requirements to be referenced in the noise abatement report and on all applicable drawings.
- d) The Developer shall acknowledge and agree that the Region's storm sewers are designed to convey run-offs from the right-of-way of Regional roads only. Under no circumstance shall the flow of storm water from the Plan be diverted to or along The Gore Road's right of way (by pipe or channel); All costs associated with the storm sewer conveyance shall be 100% the responsibility of the Developer.

Clauses shall be included in the Subdivision Agreement in respect of same.

69. Restriction on transfer or charge for all lots and blocks within the plan of subdivision, save and except those to be conveyed to the City and the Region, shall be registered on title to said lots and blocks prohibiting any transfer or charge of said lots and blocks without the consent of the Region until all external sanitary sewers and watermains to service the Plan have been completed to the Region's satisfaction. The Developer shall be responsible for all costs in respect of said restriction on title. A clause shall be included in the Subdivision Agreement in respect of same.

70. The Developer shall acknowledge and agree that servicing of the subdivision will require:

- a) Construction of a 375mm diameter sanitary sewer on Street "1" which is the financial responsibility of the Region as per Development Charges By-Law and Policy F40-06; and
- b) The Developer shall make appropriate financial arrangement with the Region prior to construction of such works. The construction will be subject to the Region's determination that it has or will have sufficient funds to finance the works.

Clauses shall be included in the Subdivision Agreement in respect of same.

71. The Developer shall acknowledge and agree that financing and construction of all temporary/permanent infrastructures not covered by the Current Development Charges By-law (watermains, sanitary sewers) shall be 100% financial responsibility of the Developer. A clause shall be included in the Subdivision Agreement in respect of same.

72. Prior to servicing, the Developer's engineer shall submit all engineering drawings in the digital format to the latest Region's Digital Format Guidelines.



73. Within (60) days of preliminary acceptance of the underground services, the Developer's engineer shall submit "As Constructed" drawings in digital format, pursuant to the latest Region's Digital Format Guidelines. The Developer's engineer shall also provide ties to all main line valves, ties to individual water service boxes, linear ties to sanitary sewer services and GPS coordinates of all watermain and sanitary sewer appurtenances in accordance with the latest requirements of the Region "Development Procedure Manual". A clause shall be included in the Subdivision Agreement in respect of same.
74. Prior to registration of the subdivision, the Developer shall execute a Subdivision Agreement with the local municipality and Region for the construction of municipal sanitary sewer, water, and regional roads associated with the lands. The Developer shall construct and design these services in accordance with the latest Region standards and requirements.
75. Prior to a satisfactory engineering submission, the Developer shall submit to the Region for review and approval:
- a) A Functional Servicing Report (FSR) showing proposed watermain, sanitary and storm sewer servicing plan for the development and provision for the external lands;
 - b) Storm Drainage Study Report to determine and demonstrate, to the satisfaction of the Region, that there is no adverse effect of the proposal on the existing structures and drainage along The Gore Road.
 - c) A noise abatement report is required for lots adjacent to The Gore Road.
- Clauses shall be included in the Subdivision Agreement in respect of same.
76. Prior to servicing, the Developer shall submit a satisfactory engineering submission to the Region to review and approval.
77. Prior to registration of the Plan of subdivision, the Developer shall ensure that all lots and blocks are serviced via an internal road network. A clause shall be included in the Subdivision Agreement in respect of same.
78. Prior to servicing of the subdivision, the Region may require the Developer to construct a sampling hydrant (at 100% the Developer's expense) within the proposed Plan. Location and the requirement for sampling hydrant will be determined at the engineering review stage.
79. The Developer agrees that the Region shall hold back a portion of the Letter of Credit to cover the costs of services completed by the Region on a time and material basis pursuant to the current Region's User Fee By-Law. A clause shall be included in the Subdivision Agreement in respect of same.
80. The Developer will maintain adequate chlorine residuals in the watermains within the Plan from the time the watermains are connected to the municipal system until such



time as the Region issues Final Acceptance. To maintain adequate chlorine residuals, the Developer shall either install automatic flushing devices or retain Regional staff to carry out manual flushing. Regional staff shall conduct the monitoring and testing for chlorine residuals. All costs associated with the monitoring and flushing shall be the responsibility of the Developer pursuant to the current Region's User Fee By-Law. A clause shall be included in the Subdivision Agreement in respect of same.

81. Provision will be required in the Subdivision Agreement for the following clauses in respect of servicing existing properties within the zone of influence in the event that existing private services (wells) deteriorate due to the servicing of the proposed plan of subdivision;

- a) Until the issuance of Final Acceptance, a portion of the Letter of Credit shall be held back to serve as protection for the private wells in the zone of influence of the plan of subdivision. This amount shall be based on the anticipated cost of replacing water supplies within the zone of influence as shown in the schedules of the agreement. The minimum amount shall be \$20,000.00. If the private well systems in the zone of influence deteriorate due to the servicing of the plan of subdivision the Developer shall provide temporary water supply to the residents upon notice by the Region and the Developer shall continue supplying the water to the effected residents until the issue is resolved to the satisfaction of involved parties. If the quantity of water in the existing wells is not restored to its original condition within a month after first identification of the problem, the Developer shall engage the services of a recognized hydrogeologist to evaluate the wells and recommend solutions including deepening the wells or providing a permanent water service connection from the watermain to the dwelling unit.
- b) The Developer shall inspect, evaluate and monitor all wells within the zone of influence prior to, during and after the construction has been completed.

Progress Reports should be submitted to the Region as follows:

- i. Base line well condition and monitoring report shall be submitted to the Region prior to the pre-servicing or registration of the plan (whichever occurs first) and shall include as a minimum requirement the following tests:

- a) Bacteriological Analysis - Total coliform and E-coli counts
- b) Chemical Analysis - Nitrate Test
- c) Water level measurement below existing grade

- ii. In the event that the test results are not within the Ontario Drinking Water Standards, the Developer shall notify in writing the Homeowner, the Region of Peel's Health Department (Manager - Environmental Health) and Public Works Department (Development Supervisor) within 24 Hours of the test results.

- iii. Well monitoring shall continue during construction and an interim report shall be submitted to the Region for records. Well monitoring shall continue for one year after the completion of construction and a summary report shall be submitted to the Region prior to Final Acceptance.



82. The Developer shall agree that neither the Developer nor any Builder will apply for building permits for any lots or blocks within the plan of subdivision until the Region's Public Works Department has issued Preliminary Acceptance and provided notice to the local municipality stating that internal and external sanitary sewers and watermains, including fire protection, have been completed to the Region's satisfaction. The Developer's Consulting Engineer shall certify in writing that the internal and external sanitary sewers and watermains, including fire protection, have been constructed, inspected and shall function in accordance with the detailed design as approved by the Region. A clause shall be included in the Subdivision Agreement in respect of same.
83. Prior to registration of the Plan of subdivision, the Developer shall submit draft reference plan(s) for the Region's review and approval prior to such plans being deposited. All costs associated with preparation and depositing of the plans and transfer of lands shall be at the sole expense of the Developer.
84. The Developer agrees that prior to the Region granting clearance of the draft plan conditions of subdivision approval, the following shall require to be forwarded to the Region's Legal Services Division:
- a) A copy of the final signed M-Plan
 - b) A copy of the final draft R-Plan(s); and
 - c) Easement and conveyance documents required pursuant to this Agreement and the registration of this plan.

A clause shall be included in the Subdivision Agreement in respect of same.

Administrative — Clearance of Conditions

85. Prior to the signing of the final plan by the Commissioner, Planning, Building, and Growth Management, or her designate, they shall be advised that the above noted conditions have been carried out to the satisfaction of the appropriate agencies and the City.

NOTE 1:

In accordance with City Council resolution C003-97, draft approval granted under Section 51 of the Planning Act, R.S.O., 1990, c.P.13 is valid until draft approval is either withdrawn, or the plan is registered. The conditions of draft approval will, however, be reviewed initially 3 years after draft approval is granted and subsequently every 2 years to determine if the conditions are appropriate or whether draft approval should be withdrawn.

NOTE 2:

In order to expedite the clearance of conditions, we suggest that a copy of the signed Subdivision Agreement be forwarded to the following agencies upon execution:

Canada Post Corporation
200 - 5210 Bradco Blvd



Mississauga, Ontario
L4W 1G7

The Dufferin-Peel Catholic District School Board
40 Matheson Boulevard West
Mississauga, Ontario
L5R 105

Peel District School Board
5650 Hurontario Street
Mississauga, Ontario
L5R 1C6

Enbridge Gas Distribution Inc.
500 Consumers Road
North York, Ontario
M2J 1P8

Alectra Utilities
175 Sandalwood Parkway West
Brampton, Ontario
L7A 1E8

Bell Canada
100 Commerce Valley Drive West
Thornhill, Ontario
L3T 0A1

Rogers Cable Communications Inc.
3573 Wolfedale Road
Mississauga, Ontario
L5C 3T6

Region of Peel
10 Peel Centre Drive
Brampton, Ontario
L6T 4B9

Toronto and Region Conservation Authority
101 Exchange Avenue,
Vaughan, Ontario
L4K5R6

NOTE 3:

The costs of any relocations or revisions to Hydro One facilities which are necessary to accommodate this subdivision will be borne by the owner, and further any easement rights of Hydro One are to be respected. The owner should contact the local Hydro One Area office to verify if any



low voltage distribution lines may be affected by the proposal.

NOTE 4:

It is recommended that the owner or their consultant contact the Toronto and Region Conservation Authority to clarify specific requirements prior to preparation of detailed engineering reports.

DRAFT

Draft Plan of Subdivision Conditions of Draft Approval Comments and Conditions Memo Tracking Sheet

Sheridan Capital Management Corp. – Matthews Planning & Management Inc.

File: OZS-2023-0002 & 21T-23002B

Planner: Chinoye Sunny

Date of Draft Approval: Month, Date 2023 (Provided that no appeal has been filed)

Department/Divisions/Sections	Memo Date		
	(Initial Draft Approval)	(Revision)	
		Memo Date	Effective Draft Approval Date*
Public Works – Development Engineering			
Public Works – Open Space Development			
Public Works – Transportation Engineering			
Planning & Development Services – Development Services			
Planning & Development Services – Building Division			
Planning & Development Services – Urban Design			
Planning & Development Services – Policy Planning (Growth Management, Land Use Policy)			
Planning & Development Services – Policy Planning (Parks and Facility Planning)			
Planning & Development Services – Policy Planning (Heritage)			
Brampton Transit			
Region of Peel			
TRCA			

*day after 20 days after making decision (date of decision=date of cover memo signed by Commissioner/Director for minor amendments or Notice of Decision)

NOTE: Any changes to the conditions (including minor amendments and revisions to the conditions expressly identified in any Comments and Conditions Memos are subject to Section 51 (41) of the *Planning Act* and the amendment to the draft approval shall be deemed to have been made the day after the appeal period is over (the day after the 20-day appeal period), whether or not notice has



been issued.

Accordingly, preparation of any agreement or supplementary agreement (as the case may be), will not occur until the appeal period has passed.

DRAFT

COMMENTS AND CONDITIONS MEMO

Date: November 13, 2023

File: OZS-2023-0002 & 21T-23002B

From: Chinoye Sunny

Subject: Conditions of Draft Approval
Zoning By-Law Amendment and Draft Plan of Subdivision
Sheridan Capital Management Corp. – Matthews Planning & Management Ltd.
(To facilitate the development of 202 single detached residential lots and a partial school block)
10797 The Gore Road

Circulation Date: November, 2023

Plan: Lot 14, Concession 10 N.D

Plan Dated: September 20, 2022

Comment Revision #: 1st

The following represents a summation of comments and conditions from the **Development Services Division of the Planning and Development Services Department** with respect to matters dealing with Zoning, community information maps, warnings, notices, growth management, other general requirements to be included in the subdivision agreement, among others.

Development Planning staff have the following comments with respect to the note Zoning y-law Amendment and Draft Plan of Subdivision application that will facilitate the development of 202 single detached dwellings, a partial school block, and internal road networks on a site area of 12.68 hectares (31.50 acres).

A. PRIOR TO DRAFT PLAN APPROVAL

The following shall be addressed prior to the release of the application for draft plan approval.

Sales Office Homebuyers Information Map

1. Prior to draft plan approval, the owner shall prepare a preliminary Homebuyers Information Map of the subdivision to be posted in a prominent location in each sales office where homes in the subdivision are being sold. The map shall contain the following information and clauses as applicable:
 - a) The proposed land uses within the subdivision based on the latest draft plan.
 - b) Where applicable, a statement indicating that church and school sites may be used for residential uses if they are not acquired for their original purpose within the time period specified in the subdivision agreement.
 - c) The immediately surrounding existing and proposed land uses.
 - d) Those lots or blocks that have existing and potential noise environmental problems based on the noise feasibility study. Include all relevant warning clauses on the map.
 - e) The approximate locations of noise attenuation walls and berms;
 - f) The approximate locations and types of other fencing within the subdivision
 - g) Where parks and open space, storm water management facilities and walkways are located.
 - h) The types and locations of parks, valley lands and other open space (i.e. passive or active) and a general description of their proposed facilities and anticipated level of maintenance (to be confirmed in each case with the Environment and Development Engineering Division).
 - i) Potential locations of all Canada Post community mail boxes on corner lots (except corner lots at the intersection of an arterial road).
 - j) The locations of all Brampton Transit routes through the subdivision.
 - k) The following standard notes, using capital letters where noted:

i. "NOTICE AND ADVICE TO PURCHASERS:

THIS MAP IS INTENDED TO PROVIDE HOME BUYERS WITH GENERAL INFORMATION ABOUT THE SUBDIVISION AND THE SURROUNDING AREA. THE FOLLOWING IS A LIST OF POTENTIAL CONCERNS THAT HOMEBUYERS MAY HAVE AND THE TELEPHONE NUMBERS AT CITY HALL IF YOU NEED MORE INFORMATION. FOR THE BEST SERVICE, YOU ARE ENCOURAGED TO CALL DURING NORMAL BUSINESS HOURS WHICH ARE 8:30 AM TO 4:30 PM, MONDAY TO FRIDAY.

PLEASE NOTE:

THIS MAP IS BASED ON INFORMATION AVAILABLE ON (MONTH/YEAR) AND MAY BE REVISED WITHOUT NOTICE TO PURCHASERS. HOWEVER, ANY CHANGE IN PERMITTED LAND USE INVOLVES A PLANNING PROCESS, INCLUDING PUBLIC NOTIFICATION IN ACCORDANCE WITH THE PLANNING ACT"

-
- ii. "The map shows that there will be several types of housing in the subdivision including townhouses and apartment buildings. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - iii. "Sites shown on the map for future schools, apartments, townhouses, churches, shopping plazas, parks etc. could have driveways anywhere along their street frontage. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - iv. "Some streets in this subdivision will be extended in the future and temporary access roads will be closed. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - v. "There may be catch basins or utilities easements located on some lots in this subdivision. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - vi. "Some lots and development blocks will be affected by noise from adjacent roads, the railway, industries or aircraft and warning clauses will apply to purchasers. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - vii. "The map shows that some of the lots affected by noise will be fitted with noise barriers and some of the homes will be provided with central air conditioning to allow bedroom windows to be closed if necessary due to the noise. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - viii. "Valleys and storm water management ponds in this subdivision will be left in a natural condition with minimal maintenance and no grass cutting, only periodic removal of paper and debris. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - ix. "Door to door mail delivery will not be provided in this subdivision and Community mailboxes will be directly beside some lots. If you have any questions, please call 1-800-267-1177."
 - x. "School and church sites in this subdivision may eventually be converted to residential uses and houses will be built instead. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."

-
- xi. "Some streets will have sidewalks on both sides while others will have them on only one side or not at all. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - xii. "The completion of some dwellings in this subdivision may be delayed until after the completion of exterior finishes on the adjacent buildings. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - xiii. "There may be Brampton Transit bus routes on some streets within this subdivision with stops beside some homes. The City reserves the right to introduce transit services and facilities such as bus stops, shelters, pads, benches and other associated amenities on any City right-of-way as determined by Brampton Transit to provide effective service coverage. If you have any questions, please call (905) 874-2750 or email transit@brampton.ca."
 - xiv. "Boulevard trees will be planted according to City requirements approximately 12 to 18 metres apart and a tree will not necessarily be located in front of every home."
 - xv. "The offer of purchase and sale may contain itemized charges for features covered in the City's subdivision agreement. These features may include street trees, driveway paving, sodding, fencing, noise barriers, or gateway features, etc., on the public right-of-way. They may also be described in general terms, such as "community aesthetics enhancements". Despite paying this charge, the purchaser may be left without a tree on the lot in question. The City does not encourage this type of extra billing and has no control over vendors charging for street trees. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - xvi. "The City will not reimburse purchasers, nor assist in any recovery of moneys paid, under any circumstance."
 - xvii. "Although the developer is required to provide trees at regular intervals on the public boulevards within this subdivision, local site conditions may not allow for a tree to be planted in front of some homes."
 - xviii. "The design of features on public lands may change. Features shown in the Community Design Guidelines may be constructed as shown or altered, in the City's discretion, without notification to purchasers. Builders' sales brochures may depict these features

differently from what is shown on the Community Design Guidelines or the as-built drawings. The City has no control over builders' sales brochures."

- xix. "Gates are not permitted in fences when lots abut a valleyland, park or stormwater management block."
- xx. "The City of Brampton's Zoning By-law regulates the width of driveways. Please do not have your driveway widened before inquiring about the permitted driveway width for your lot."
- xxi. "There are a number of subdivision homes being constructed in the area. Purchasers are advised that residents may be disturbed by noise, traffic and dust due to construction in the area."
- xxii. "FOR FURTHER INFORMATION, ON PROPOSED AND EXISTING LAND USE, PLEASE CALL (905) 874-2050 or EMAIL PLANNING.DEVELOPMENT@BRAMPTON.CA."
- xxiii. "FOR DETAILED BERMING AND GRADING INFORMATION, PLEASE CALL THE SUBDIVIDER'S ENGINEERING CONSULTANT."
- xxiv. "FOR DETAILED INFORMATION PERTAINING TO STREETScape, PARKS OR OPEN SPACE, PLEASE CALL THE SUBDIVIDER'S LANDSCAPE ARCHITECTURAL CONSULTANT."

Digital Submissions of Plans

2. Prior to draft plan approval, a digital submission of the current draft plan to be draft-approved, shall be provided to the City, in accordance with the Planning and Development Services Department's digital submission requirements.

Further conditions to those set out in Section B below may be provided as a result of the resolution of matters identified in this Section A of the memo.

B. DRAFT PLAN APPROVAL REQUIREMENTS/CONDITIONS

The following requirements are applicable as a condition of draft plan approval.

Zoning –Special Provisions

1. The owner shall support an appropriate amendment to the Zoning By-law to permit the development of these lands in accordance with the draft-approved plan of subdivision including:

- a) That the implementing Zoning By-law recognize the valley corridor and adjacent environmental buffer block in a suitable zoning category which has the effect of prohibiting development and structural encroachment and ensuring the long-term preservation of the lands in perpetuity, to the satisfaction of the TRCA.
- b) Rear Yard Setbacks:
 - a. Use of minimum 7.5m rear yards:
 - i. Areas identified as Low Density Residential that don't meet the criteria of 'c'.
 - ii. All areas identified as Executive Residential
 - b. Use of minimum 7.0m rear yards:
 - i. Areas identified as Low/Medium Density Residential that don't meet the criteria of 'c'
 - ii. Areas identified as Low Density Residential, Low/Medium Density Residential when adjacent to a Retail, Institutional (Place of Worship, Fire station)
 - c. Use of minimum of 6.0m rear yards:
 - i. All areas identified as Low Density Residential or Low/Medium Density Residential where the rear yard is adjacent to: SWMP, Open Space, School, Park. Also, in specific cases where there is a 'pinch-point' in the rear yard which may facilitate a rear yard less than 7.0m up to a minimum of 6.0m.

Residential Reserve Blocks

- 2. Residential Reserve Blocks shall only be developed in conjunction with adjacent lands and the City shall be satisfied prior to registration of the plan that the blocks, when combined with adjacent lands, will permit development in accordance with the zoning by-law. In this regard, the owner shall place these blocks in a condition satisfactory to the City and erect signs prohibiting trespassing and dumping, also to the satisfaction of the City, within 6 months of the issuance of any building permit for any dwelling on the plan.

Final Homebuyers Information Map

- 3. Prior to registration of the plan, the owner shall prepare a detailed Final Homebuyers Information Map, based on the final M-plan, and approved by the City to replace the preliminary Homebuyers Information Map in all affected sales offices. This map shall contain the following information:
 - a) all of the information required on the preliminary map;
 - b) the locations of all sidewalks and walkways;
 - c) the locations of all rear yard catch basins and utilities easements on private property where applicable;

- d) the locations of all above ground utilities;
 - e) the locations of all bus stops (if known); and,
 - f) the final locations of all Canada Post community mail boxes;
4. The owner shall ensure that each builder selling homes within the subdivision:
- a) provides prospective purchasers with a notice from the City in the prescribed format that includes all of the notes required on the Homebuyers Information Maps; and,
 - b) attaches a copy of the preliminary Homebuyers Information Map to each offer of purchase and sale agreement.

Land Notices: Statements and Clauses

5. The owner shall include the following warnings in bold type in all offers of purchase and sale for all lots and blocks within the plan:
- a) A statement indicating that Block 1 is intended to be developed for a Catholic Elementary School, however, if it is not developed for school purposes this parcel of land could be developed for single detached uses. For confirmation regarding the use of Block 1 as a public elementary school and timing for construction and opening of a school please contact the Peel District School Board/Dufferin-Peel Catholic District School Board. For further information concerning the possibility of residential uses on this Block, please contact the City of Brampton, Development Services Division (at (905) 874-2050 or by email to Planning.Development@brampton.ca).
 - b) A statement to the satisfaction of Brampton Transit that the City reserves the right to introduce transit services and facilities such as bus stops, shelters, pads, benches and other associated amenities on any City right-of-way as determined by Brampton Transit to provide effective service coverage.
 - c) A statement which advises the prospective purchasers that mail delivery will be from a designated Community Mailbox.
 - d) A statement indicating that Lots 1, 5, and 162 have a noise attenuation fence and berm located inside the lot line within the side and/or rear yard, that the noise attenuation fence shall not be altered or removed and that it shall be the responsibility of the owner of the lot to maintain and keep in repair that portion of the noise attenuation fence and berm situated on the lot.
 - e) A statement indicating that gates are not permitted in fences when lots abut a valleyland, park or stormwater management block.

-
- f) A statement indicating that the City of Brampton's Zoning By-law regulates the width of driveways and that owners not widen their driveway before inquiring about the permitted driveway width for the lot.
 - g) A statement advising prospective purchasers that Street 1, 3, 4, 5, 6, 7, and 8 will be extended in the future.
 - h) The following statements:
 - i. "The offer of purchase and sale may contain itemized charges for features covered in the City's subdivision agreement. These features may include street trees, driveway paving, sodding, fencing, noise barriers, or gateway features, etc., on the public right-of-way. They may also be described in general terms, such as "community aesthetics enhancements". Despite paying this charge, the purchaser may be left without a tree on the lot in question. The City does not encourage this type of extra billing and has no control over vendors charging for street trees. If you have any questions, please call (905) 874-2050 or email planning.development@brampton.ca."
 - ii. "The City will not reimburse purchasers, nor assist in any recovery of moneys paid, under any circumstance."
 - iii. "Although the developer is required to provide trees at regular intervals on the public boulevards within this subdivision, local site conditions may not allow for a tree to be planted in front of some homes."
 - iv. "The design of features on public lands may change. Features shown in the Community Design Guidelines may be constructed as shown or altered, in the City's discretion, without notification to purchasers. Builders' sales brochures may depict these features differently from what is shown on the Community Design Guidelines or the as-built drawings. The City has no control over builders' sales brochures."
 - v. "There are a number of subdivision homes being constructed in the area. Purchasers are advised that residents may be disturbed by noise, traffic and dust due to construction in the area."
 - i) A statement indicating that this community is subject to Architectural Control. Models available for sale have to be pre-approved by the Control Architect and certain models may not be available for some of the lots. Check with your builder the particular situation for the model and lot you intend to purchase.

-
- j) The following clauses to the satisfaction of the Dufferin-Peel Catholic District School Board, until the permanent school for the area has been completed:
- i. "Whereas, despite the best efforts of the Dufferin-Peel Catholic District School Board, sufficient accommodation may not be available for all anticipated students from the area, you are hereby notified that students may be accommodated in temporary facilities and/or bussed to a school outside of the neighbourhood, and further, that students may later be transferred to the neighbourhood school."
 - ii. "That the purchasers agree that for the purpose of transportation to school, the residents of the subdivision shall agree that children will meet the bus on roads presently in existence or at another place designated by the Board."
- k) The following clause to the satisfaction of the Peel District School Board for a period of five (5) years from the date of registration of the plan:
- i. "Whereas despite the best efforts of the Peel District School Board, sufficient accommodation may not be available for all anticipated students in neighbourhood schools, you are hereby notified that some students may be accommodated in temporary facilities or bussed to schools outside of the area, according to the Board's Transportation Policy. You are advised to contact the School Accommodation Department of the Peel District School Board to determine the exact schools."
 - ii. "Whereas, despite the efforts of the Peel District School Board, please be advised that noise, dust and truck traffic are normal circumstances during the construction of a school, and once constructed, the school will have normal operating conditions for a school such as noise, exterior lighting, portable classrooms (including installation and removal), and increased traffic on surrounding streets during peak A.M. and P.M. hours and during special events."
 - iii. "The purchaser agrees that for the purposes of transportation to school the residents of the development shall agree that the students will meet the school bus on roads presently in existence or 6 at another designated place convenient to the Peel District School Board. Bus stop locations will be assessed and selected by the Student Transportation of Peel Region's Bus Stop Assessment (STOPR012) procedure and process"

6. The owner shall notify purchasers of the exact Community Mailbox locations prior to the closing of any sales.

Land Notices: Signage

7. The owner shall erect and maintain signs in the following locations and in the following manner:
 - a) An advisory that residents close to the parks may be disturbed by noise and night lighting from the parks shall likewise be included. The signage shall also advise that for more information, Development Engineering Division of the Public Works Department can be contacted at (905) 874-2050 or email at planning.development@brampton.ca.
 - b) at the open ends of all road allowances to advise purchasers of the future extension of these streets.
 - c) to the satisfaction of The Dufferin-Peel Catholic District School Board at all major entrances to the proposed development the following:

“Notice:
Please be advised that students may be accommodated elsewhere on a temporary basis until suitable permanent pupil places, funded by the Government of Ontario, are available.”
 - d) to the satisfaction of the Peel District School Board at all major entrances to the subdivision which shall advise prospective purchasers that due to present school facilities, some of the children from the subdivision may have to be accommodated in temporary facilities or bused to schools according to the Board’s Transportation Policy. These signs shall be to the Board’s specifications, at locations determined by the Board and erected prior to registration.

Cost Sharing

8. Prior to registration the owner shall sign the Landowners Cost Share Agreement and provide the City with a written acknowledgment from the Trustee appointed pursuant to the agreement, that the Owner has signed the agreement and has delivered the deeds or made the payments required by the agreement, and that the plan may be released for registration.

School Site Alternate Use

9. In the event that any block proposed for school purposes is not acquired by the Peel District School Board or The Dufferin-Peel Roman Catholic School Board, as the case may be, the block, or blocks, shall be offered to the other board of education, and if not acquired by said other board, shall be offered for sale to the City for purchase, in whole, or in part.

School Site Acquisition and Cost

10. The school board shall be offered the school site at a price that does not exceed the value of the land determined as of the day before the day of the approval of the draft plan of subdivision.

Site Plan Approval

11. N/A

Telecommunications

12. The owner shall permit all telecommunications service providers that are a “Canadian carrier” as defined in subsection 2(1) of the Telecommunications Act of a “distribution undertaking” as defined in subsection 2(1) of the Broadcasting Act and have entered into a Municipal Access Agreement with the City (“Telecommunication Providers”) to locate their plant in a common utility trench within any future public highway within the Plan. A list of Telecommunication Providers can be obtained from the City. Within 10 business days of the delivery of the pre-servicing letter, the owner shall notify all Telecommunication Providers of the Plan and request that the Telecommunication Providers contact the owner directly within 10 business days if they intend to locate their plant within any future public highway within the Plan. The owner shall make satisfactory arrangements (financial and otherwise) with the City, Telecommunications Providers and other utilities for the installation of each of their facilities in a common utility trench within the future public highway prior to commencing any work with respect to any future public highway as shown on the draft approved plan of subdivision, and the owner shall provide evidence of same satisfactory to the City. Until such installation is completed, the owner shall not undertake any works that will limit the ability of any Telecommunications Provider to install its plant in a timely and efficient manner. The owner shall install, at its own expense, 100mm diameter ducts at all road crossing for the use of Telecommunications Providers. The exact location and detailed specifications for these ducts shall be shown on the approved drawings. The owner acknowledges and agrees that the City may refuse to accept or assume any or all streets within the plan until the provisions of this section have been complied with.
13. Prior to commencing any work within the plan, the owner must confirm that sufficient wire-line communication/telecommunication infrastructure is currently available within the proposed development to provide communication/telecommunication service to the proposed development. In the

event that such infrastructure is not available, the owner is hereby advised that they may be required to pay for the connection to and/or extension of the existing communication/telecommunication infrastructure. If the owner elects not to pay for such connection to and/or extension of the existing communication/telecommunication infrastructure, the owner shall be required to demonstrate to the telecommunication provider that sufficient alternative communication/telecommunication facilities are available within the proposed development to enable, at a minimum, the effective delivery of communication/telecommunication services for emergency management services.

Growth Management/Staging and Sequencing

14. Prior to registration of this plan or any phase thereof, the owner shall comply with the requirements of the approved growth management staging and sequencing plan.

Sustainability Score and Summary

15. N/A

C. GENERAL COMMENTS

The following general comments are provided to assist the developer in the preparation of the related drawings, finalization of any required studies or resolution of any identified issues.

1. N/A

If you have any questions or require further clarification with respect to the above comments, please contact the undersigned.

Chinoye Sunny

Chinoye Sunny
Development Planner, Development Services and Design
Planning, Building and Growth Management
Tel: (905) -874-2064
Chinoye.Sunny@brampton.ca

COMMENTS AND CONDITIONS MEMO

Transportation Development Engineering

Date: November 3, 2023
File: **OZS-2023-0002**
To: Chinoye Sunny
From: Adam Davidson (Transportation Development Engineering)
Subject: Requirements for Plan of Subdivision 21T-23002B
Zoning By-Law Amendment and Draft Plan of Subdivision
Maria Jones
Sheridan Capital Management Corporation
10797 The Gore Road

A. PRIOR TO DRAFT PLAN APPROVAL

~~Designs are to adhere to the City subdivision requirements as found within the Corporation of The City of Brampton Subdivision Design Manual. To that end, prior to draft plan approval, the applicant will be required to demonstrate that Transportation Development Engineering requirements have been achieved. In this regard, the following is a list of some of the respective design requirements that will need to be demonstrated prior to draft approval being issued.~~

- ~~1. A separate drawing is to be submitted depicting sidewalks, intersection daylighting dimensions, intersection curb radii and driveway locations. Daylighting, curb radii, and driveway locations will be required to meet the current City standards or meet other satisfactory arrangements as determined by PW&E.~~
 - ~~2. Clarification is required with the proposed road plan. The approved block plan is slightly different than what is being proposed (see attached)~~
- ~~• Further conditions to those set out in Section B below may be provided as a result of the resolution of matters identified in this Section A of the memo.~~

B. DRAFT PLAN APPROVAL REQUIREMENTS/CONDITIONS

1. Prior to registration of the subdivision curb radii are to adhere to City standard drawing #245. Where applicable this includes laneways where the minimum allowable curb radius is 7.5 metres.
2. Prior to registration of subdivision road elbows must adhere with City standard drawing #215.

3. Prior to registration of the subdivision the applicant shall ensure that lot frontages and dwelling layouts are such that no driveway will intersect, including any portion within the road allowance.

C. GENERAL COMMENTS

1. Temporary cul-de-sacs may be required. The applicant will acknowledge and provide cul-de-sacs on a temporary basis if deemed necessary by the City. The applicant may be required to obtain easements should it be necessary to locate the cul-de-sacs on adjacent lands. Further comments regarding cul-de-sacs may be forwarded during the engineering review process.
2. All comments related to The Gore Road will be provided by the Region of Peel
3. Depict right of way of The Gore Road on the draft plan
4. Roads are to be delivered as per the GSAI Growth Management Staging and Sequencing Strategy Plan
5. 0.3m Reserves will be required on Industrial, Commercial, Institutional, School, and High Density lots and the ends of some Cul-de-sacs.
6. The applicant is required to provide for Canada Post community mailbox locations and identify locations on a separate drawing. This may include providing lay-bys for locations at or near intersections. The city requires accommodation for Canada Post facilities on minor roads only, and not near busy intersections, in order to provide a safe environment for residents/users.
7. Driveways shall not to encroach within intersection daylighting (rounded or triangles), and/or all driveway locations shall adhere to Section 10.12 of the residential zoning bylaw, which states "The minimum distance measured along a lot line between a driveway and the actual or projected point of intersection of two streets shall be 6.0 metres." Where intersection daylighting exceeds 6.0 metres, driveways locations will not be permitted to encroach within intersection daylighting.
8. Vertical curves – grade changes in excess of 2% must be designed by means of a vertical curve for the design speed specified and depicted on the first engineering drawings to the satisfaction of the commissioner of Public Works.
9. Road alignments - the horizontal and vertical alignments of all roads, including their intersection geometrics, shall be designed to the latest City standards and requirements. In this regard, minor revisions to the road pattern and intersection alignments may be required.
10. Traffic Signal Funding Breakdown
 - a. Cash-in-Lieu (i.e. - Cash in Lieu in the amount of \$62,500 is required for future signalization of Collector Road G @ Collector Road E
11. Prior to registration, the City, at its own discretion, may require the early dedication of all roads, or portions thereof.
12. Registration of the Plan will be dependant of the prior registration of the plan to the north or south for servicing and access reasons.
13. Driveways width requirements are: 3.5m (single), 6.0m (double), 7.3m (shared).
14. Driveway minimum separation from adjacent property lines unless coupled is 0.6 metres.
15. Utility clearance of 1.5 metres from residential driveways is required.

If you have any questions or require further clarification with respect to the above comments, please contact the undersigned.

Regards,

Adam Davidson

Transportation Planning Technologist | Public Works | City of Brampton
T: 437.217.6007 | F: 905-874-2599 | 1975 Williams Parkway | ON L6S 6E5

COMMENTS & CONDITIONS MEMO

Date: October 10, 2023

File: OZS-2023-0002

To: C. Sunny, Development Services

From: S. Massah, Park Planning & Development

Subject: **REQUIREMENTS FOR RESIDENTIAL DEVELOPMENT**
Proposed Draft Plan of Subdivision
(To permit 202 single detached lots and a partial school block)
Updated Conditions from the Park Planning & Development Section

Consultant: CANDEVCON LTD.

Owner: SHERIDAN CAPITAL MANAGEMENT CORP.

Location: 10797 The Gore Road
Circulation Date: September 26, 2023
Ward: 10

In response to the Accela circulation of the above noted Draft Plan of Subdivision dated September 26, 2023, the following represents a summation of conditions from the **Park Planning and Development Section** and general comments from the **Park Planning Unit**. The **Open Space Development Unit** may also provide their own general comments through the Accela workflow.

Please note that this memo replaces our Comments & Conditions Memo dated March 28, 2023.

Note:

Please note that the City is currently working on a condition that speaks to the trail design and construction requirements. Once finalized all applications that include the trail system will be provided with an updated memo including this condition.

A. PRIOR TO DRAFT PLAN APPROVAL

The following must be addressed prior to the release of the application for draft plan approval.

Requested Adjustments to Plan:

1. NIL

B. CONDITIONS OF DRAFT PLAN APPROVAL

The Owner is required to address the following prior to the identified milestone, in accordance with City standards, and to the satisfaction of the City. These items will be included in the subdivision agreement.

a) Prior to commencement of construction

2. NIL

b) Prior to Registration:

The following are requirements that the Owner shall be required to fulfill prior to the release of the plan for registration. These items will be included in the subdivision agreement.

Fencing:

3. The Owner shall make satisfactory arrangements with the City to provide fencing, at their cost, in accordance with the City Fencing Policy and the approved Urban Design Brief/Community Design Guidelines (as applicable), for incorporation into the landscape drawings' submission, to the satisfaction of the City.

Land Appraisal- Section 51.1 Parkland Conveyance:

4. In case of a Section 51.1 dedication requirements, the Owner will be required to commission and submit a land appraisal by an accredited appraiser in good standing with the AIC, in accordance with the City standards, and subject to the review and shall be to the satisfaction of the City's Realty Services Section. The effective date of the said appraisal is required to be within 120 days from the date of the Draft Plan Approval. Land appraisal report more than 120 days old will require an update.

Maintenance Fees:

5. The Owner shall agree to contribute a maintenance fee for any landscape item deemed necessary by the Owner, but which exceeds the City standard. This may include, but not be limited to special entry feature structures and centre medians, irrigation systems, acoustical walls and architectural landscape elements located on public property.
6. The Owner shall agree to provide a cash-contribution in accordance with [Council Resolution 181-2014](#) towards the long-term management of all Natural Heritage System (NHS) lands conveyed to the City. The payment shall be calculated at a rate of \$5,000 / hectare of NHS lands conveyed (per the final plan).

Parkland Dedication:

7. Any submitted appraisals or amendments thereto shall be in accordance with City standards, and shall be to the satisfaction of the City's Realty Services Section.
8. The Owner shall enter into the Master Parkland Conveyance Agreement and shall provide to the City confirmation that the Agreement has been entered into, to the satisfaction of the City.
9. Parkland Dedication requirements for the plan shall be in accordance with the Planning Act R.S.O. 1990, c.P.13 as amended (the Planning Act) and the City's Parkland Dedication By-law, as amended.

The City will not require the conveyance of parkland dedication (parkland or cash-in-lieu of parkland) as a condition of subdivision draft approval for this Plan as authorized by Section 51.1 of the Planning Act R.S.O. 1990, c.P. 13 as amended.

The Owner is put on notice that City By-laws and policies as amended require the payment of cash-in-lieu of parkland for this application pursuant to Section 42(6) of the Planning Act, and the City's Parkland Dedication By-Law as a condition of development of the land, and payable prior to the issuance of building permits.

Parkland Dedication within the Block 47 Areas 1 and 2 is subject to the Parkland Conveyance Agreement, **Blocks 47-1 and 47-2, dated XXXXXX (the "Parkland Agreement")**. **Cash-in-lieu** of Parkland Dedication pertaining the subject application shall be paid to the Trustee **as defined in the Parkland Agreement, to be administered in accordance with said** Agreement.

Plan Requirements for all Public Lands:

10. Prior to plan registration, the Owner shall provide detailed working drawings for all, streetscape planting and fencing to the satisfaction of the applicable approving departments and in accordance with the latest City standards. Fencing shall be included along holdout properties where they abute the plan, subject to the approval of the existing property owners. The Owner shall comply with both the facility fit/concept plan approved prior to draft plan approval and/or the recommendations of the approved Design Brief.
11. Prior to Plan registration, the Owner shall provide within the detailed working drawings a comprehensive restoration and enhancement planting plan for all buffer areas for compensation areas as recommended by the EIS.

Streetscape Plans:

12. Prior to plan registration, the Owner shall make satisfactory arrangements with the City, through the Subdivision Agreement and the landscape drawings' submission, to provide street trees along all internal streets within the subject plan and along immediately abutting street, including the implementation of boulevard and buffer planting, and entry features. The Owner shall comply with the recommendations of the approved Urban Design Brief/Community Design Guidelines (as amended and as applicable).

Summary Requirements:

13. Prior to registration, and in conjunction with the final landscape submission, the Owner agrees to provide the City with a detailed summary of all areas of buffers including quantities or areas of boulevard and buffer sod, boulevard and buffer trees, shrub beds and irrigation systems that will be installed by the Owner and will become the City's responsibility to maintain.

Tableland Tree Compensation:

14. Prior to registration, the Owner shall provide restoration-planting drawings that detail compensation plantings for tableland trees removed to accommodate the development. Compensation plantings shall be in accordance to current City of Brampton compensation planting standards. Compensation plantings shall be provided by the Owner at no cost to the City. Compensation requirements shall conform to the City's Tableland Tree Assessment Guidelines.

Tableland Vegetation:

15. The Tree Evaluation Report, shall be finalized and approved in accordance with the City's Tableland Tree Assessment Guidelines, to the satisfaction of the City.

Note: The Owner shall ensure that no trees are removed or damaged prior to by-law approval or during any phase of the servicing and construction of the site, if applicable, without the prior approval of the Planning and Development Services and Public Works & Engineering Departments.

Warning Clauses – Street Trees

16. Prior to registration, the Owner shall ensure that the builder(s) include a warning clause in all Offers of Purchase and Sale indicating that:

"The Owner is required to provide street trees at regular intervals on all public boulevards within this subdivision. Local site conditions may not allow a tree to be planted in front of some homes. For more information, please call the City of Brampton's Community Services Department.

c) Post Registration:

The following are requirements that the Owner shall be required to fulfill as a condition of plan registration. Items are listed in typical order of completion:

Development of all Public Lands:

17. The Owner is responsible for the development of all dedicated parks and open space (e.g. Neighbourhood Parklands, valleylands, open space and landscape buffer blocks) in accordance with the approved plans and the approved Subdivision Agreement subject to the satisfaction of the City.

Streetscape Implementation:

18. The Owner shall implement, at their expense and to the satisfaction of the City, all works shown on the approved streetscape plans in accordance with the Subdivision Agreement and the approved Urban Design Brief/Community Design Guidelines (where applicable) and will include the implementation of boulevard and buffer planting, and entry features including all structures and planting.

As-Built Drawings:

19. Prior to issuance of final acceptance of all landscape works the Owner shall provide as-built drawings in the form of digital files for all dedicated park, open space, landscape buffer blocks, etc. The submission of these drawings will meet the latest digital standards as prescribed by the City of Brampton.

d.) Prior to Assumption:

Hazard Removal:

20. Prior to assumption, any material identified in the Tree Evaluation Report and Woodlot Management Plan as hazardous, or identified for removal for accessibility or safety reasons, and any deleterious materials and debris not normally found in a Natural Heritage System (NHS) lands, whether in a woodlot block, valleyland / greenbelt block, vista block or other location as determined by the City, shall be removed at the Owner's expense.

C. GENERAL COMMENTS

The following General Comments are provided to assist the Owner. These comments shall be read in conjunction with the Draft Plan conditions (Section B).

21. NIL

If you have any questions or require further clarification with respect to the Park Planning & Development comments, please contact the undersigned.

Saghar Massah
Park Planner, Park Planning & Development Section
Parks Maintenance & Forestry Division
Community Services Department
saghar.massah@brampton.ca

CC: E. Fagan, J.K. Bajwa, P. Pushan

June 21, 2023

CFN 68592

By Email: Arijun.singh@brampton.ca

Arjun Singh, Planner
Planning, Building and Economic Development
City of Brampton
2 Wellington Street West
Brampton, ON
L6Y 4R2

Dear Arjun Singh:

**Re: Application to amend Zoning By-law and proposed Draft Plan of Subdivision
OZS-2023-0002, 21T-23002B
10797 The Gore Road
Part Lot 14, Concession 10
City of Brampton
Sheridan Capital Management Corporation (Agent: Candevcon Limited)**

This letter will acknowledge receipt of a revised submission for the above noted Zoning By-law Amendment and Draft Plan of Subdivision applications, received on March 2, 2023. TRCA staff have reviewed the revised submission, and we provide the following comments in accordance with the mandatory programs and services TRCA must provide as a public body commenting under the *Planning Act*. We have also reviewed the application in accordance with Ontario Regulation 166/06. TRCA must ensure that where development and/or site alteration is proposed within an area regulated by the Authority under Ontario Regulation 166/06, that it conforms to the applicable tests and associated policies (Section of 8 of TRCA's Living City Policies) for implementation of the regulation.

Please also note that updates to the *Conservation Authorities Act* and Ontario Regulation 596/22, which came into effect on January 1, 2023, prevent TRCA from providing municipal programs and services related to reviewing and commenting on a proposal under the *Planning Act*, such as those services previously provided under plan review Memorandum of Understanding (MOU) with an upper or lower tier municipality. In conformity with Ontario Regulation 686/21 and Ontario Regulation 596/22, TRCA's review does not include comments pertaining to matters (e.g. natural heritage) outside of our core planning mandate and regulatory authority.

The following items have been submitted and reviewed by TRCA staff as part of this submission:

- Draft Plan of Subdivision, prepared by Candevcon Limited, dated September 20, 2022
- Environmental Impact Study, prepared by Beacon Environmental, dated September 2022
- Functional Servicing Report, prepared by Canvedcon, dated November 2022
- Hydrogeological Report, prepared by Soil Engineers Ltd., dated November, 2022
- Geotechnical Assessment, prepared by Soil Engineers Ltd., dated October 2022

- Arborist Report, prepared by Beacon Environmental, dated September 21, 2022

Recommendation

Based on our review of the revised application under the current policy regime, TRCA has no further outstanding concerns and defers further review to the City of Brampton. As such, TRCA staff have no further objections to the approval of Draft Plan of Subdivision 21T-23002B and Zoning By-law application OZS-2023-0002.

I trust these comments are of assistance. Should you have any questions, please contact me.

Sincerely,



Anthony Syhlonyk
Planner II

Development Planning and Permits | Development and Engineering Services
anthony.syhlonyk@trca.ca

APPENDIX I: TRCA Staff Conditions of Draft Plan Approval (City File #21T-23001B)

TRCA Conditions of Draft Plan Approval

Red-line Revisions

1. The final Plan shall be in general conformity with the draft plan prepared by Candevcon Limited, dated September 20, 2022, prior to a request for clearance of any phase of this plan, to:
 - a. Include appropriate blocks that are to be conveyed to the City of Brampton or TRCA as appropriate to the satisfaction of the City of Brampton and TRCA.
 - b. Meet the requirements of TRCA's conditions, including the adjustment of block lot lines to the satisfaction of the City of Brampton and TRCA as a result of the completion of required studies.
 - c. Should the above not be adequately addressed in the Plan, red-line revision will be required to the satisfaction of the TRCA, to address TRCA's requirements with respect to these conditions.
2. Prior to registration of the Plan of Subdivision, provide an M-Plan showing the adjusted block lines, additional blocks and any other required revisions to the satisfaction of the City of Brampton and the TRCA.

Prior to Works Commencing

3. That prior to any development, pre-servicing or site alteration, or registration of this plan or any phase thereof, the applicant shall submit and attain the approval of the TRCA for:
 - a. A detailed engineering report (i.e., Stormwater Management and Site-Level Water Balance) that describes in detail the applicable stormwater management criteria (i.e., quantity, quality, erosion control, and water balance), how the proposed storm drainage system will be designed to meet the stormwater management criteria, and how it will comply with all related master servicing plans (i.e., Functional Servicing Report) and TRCA requirements. This report shall include, but is not limited to:
 - i. Plans illustrating the existing drainage systems internal and external to the site, and how the proposed drainage plan will tie into surrounding drainage systems. Plans which demonstrate the proposed stormwater management techniques which are required to control minor or major flows. Confirmation must be provided with respect to how target flows as per the hydrologic studies will be achieved during and post-development.
 - ii. Provide provisions for appropriately sized Stormwater Management Practices (SWMPs) to be used to treat stormwater, to mitigate the impacts of development on the quality, quantity, and volume of ground and surface water resources, , in accordance with TRCA's current Stormwater Management Guidelines. The existing drainage patterns should be maintained, to the greatest extent possible, and the existing hydrologic function of any wetlands is to be maintained, consistent with TRCA's guidelines.
 - iii. Proposed methods for controlling or minimizing erosion and siltation on-site and/or in downstream areas during and after construction, in accordance with the

TRCA's Erosion and Sediment Control (ESC) guidelines (dated 2019) utilized by the TRCA. Erosion and sediment control plans and a report addressing phasing and staging, consistent with TRCA's guidelines must be included.

- iv. Detailed plans indicating location, orientation, size and description of all stormwater management features, including outlet structures, all other proposed servicing facilities (i.e., lot level LIDs, pumping stations, access roads), grading, site alterations, development, infrastructure and watercourse alterations, which are required to service or facilitate the development of the subject lands, which may require a permit pursuant to Ontario Regulation 166/06, the Authority's Development, Interference with Wetlands and Alterations to Shorelines and Watercourses Regulation.
 - v. Mapping of proposed stormwater management measures, with consideration for grade differentials and grading required.
 - vi. Measures for minimizing and mitigating erosion related impacts on downstream areas (during and post construction), which are to be integrated into the stormwater management plan to the satisfaction of the TRCA.
 - vii. Design of flow dispersal measures associated with the stormwater management outlets to reduce potential erosion and maximize potential infiltration, and the integration of a naturalized outlet channel and/or wetland, where applicable, to the satisfaction of the TRCA.
 - viii. Stormwater Management facility and outlet design details. Design requirements shall conform to the requirements outlined in the Ministry of Environment, Conservation and Parks (MECP) 2003 "Stormwater Management Planning and Design Guide", TRCA's Stormwater Management Criteria Document, and TRCA's LID Stormwater Management Planning and Design Guide, and all applicable City of Brampton design standards.
- b. A groundwater constraint assessment that will examine existing groundwater levels in relation to the proposed development, underground construction and servicing and stormwater management infrastructure. If impacts to groundwater levels are anticipated, any potential impacts to surface water receivers and their inherent hazards must be assessed and any potential impacts mitigated, to the satisfaction of the TRCA.
- c. Information detailing all anticipated temporary dewatering that may be required during the construction phases, including anticipated volumes, duration, discharge locations, and filtration media – as required, to the satisfaction of the TRCA, for the purposes of dewatering whether the control of erosion may be impacted and whether a TRCA permit is required.
- d. Overall Site-Level Water Balance Report that will identify measures that will be implemented during and pre and post-development that:

- i. Mimic the pre-development surface and groundwater balance for the overall site to the greatest extent achievable;
 - ii. Demonstrate how post-development conditions will retain a minimum of the first 5mm of rainfall over the entire site to the satisfaction of the TRCA;
 - iii. Mitigate against any potential on-site or downstream erosion associated with the stormwater management system;
 - iv. Maintain baseflow contributions at pre-development levels, duration, and frequency, in all areas of affected watercourses to the satisfaction of TRCA staff.
- e. That the applicant obtains all Ontario Regulation 166/06 permits from the TRCA for all works proposed on the subject property for which permits would be required.
- f. That the size and location of Stormwater Management Blocks and LID measures, and any stormwater management infrastructure utilized for quantity and quality control, be confirmed to the satisfaction of the TRCA. And, if required to meet TRCA requirements, red-line revisions be made to the plan to expand these blocks, or modify their size or configuration into the surrounding lands within this subdivision which are currently proposed for development.

Subdivision Agreement

4. That the owner agrees in the subdivision agreement, in wording acceptable to the TRCA:

- a. To carry out, or cause to be carried out, to the satisfaction of the TRCA, the recommendations of the technical reports and plans referenced in TRCA's conditions.
- b. To implement the requirements of the TRCA's conditions in wording acceptable to the TRCA.
- c. To design and implement on-site erosion and sediment controls in accordance with current TRCA standards.
- d. To maintain all stormwater management and erosion and sedimentation control structures operating and in good repair during the construction period, in a manner satisfactory to the TRCA.
- e. To obtain all necessary permits pursuant to Ontario Regulation 166/06 from the TRCA.
- f. To erect a permanent fence to the satisfaction of the TRCA on all lots and blocks abutting natural areas and their buffers (if gratuitously dedicated to the TRCA).
- g. To implement all water balance/infiltration measures, including side slope swales, identified in the submitted studies that have or are to be completed for the subject property.
- h. Implement all adaptive management and mitigation measures identified in the submitted design reports that have or are to be completed for the subject property.

- i. To design the final monitoring protocol, obtain approvals, and monitor the hazards and features identified through the supporting studies and to maintain the environmental and engineering measures to be implemented in accordance with submitted studies. And to provide for the long-term monitoring of the system as agreed in the final monitoring protocol and submit such monitoring reports to the TRCA on the agreed upon frequency.
- j. To provide for planting, and enhancement of the valley corridor and buffer areas in accordance with the drawings approved by the TRCA. And that monitoring and replanting of these areas be completed for a minimum 3-year period, to the satisfaction of the TRCA, with sufficient funds being secured through Letter of Credit in favour of the City of Brampton, or other appropriate measure.
- k. To provide for the warning clauses and information identified in TRCA's conditions.
- l. That where required to satisfy TRCA's conditions, development shall be phased within this plan.
- m. That prior to a request for renewal of draft approval of any phase of this subdivision, that the owner consult with the TRCA with respect to whether the technical studies submitted in support of this development remain to meet current day requirements, and that the owner update any studies and plans, as required, to reflect current day requirements.
- n. To carry out, or cause to be carried out the cleaning-out and maintenance of all stormwater management infrastructure (including best management practice measures) prior to assumption of the subdivision by the City of Brampton. And, to include appropriate clauses in all agreements of purchase or sale agreements, for lots and blocks on which stormwater management measures are being constructed to identify the presence of such measures and to clearly identify the owner's responsibilities for long-term maintenance, and any restrictions to uses on any portion of their property that these may require.

Implementing Zoning By-law

- 5. That the implementing Zoning By-law recognize the valley corridor and adjacent environmental buffer block in a suitable zoning category which has the effect of prohibiting development and structural encroachment and ensuring the long-term preservation of the lands in perpetuity, to the satisfaction of the TRCA.

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800
peelregion.ca

October 13, 2023

Chinoye Sunny
Planner
City of Brampton
2 Wellington Street West
Brampton ON, L6Y 4R2
Chinoye.Sunny@brampton.ca

**RE: Proposed Draft Plan of Subdivision and Zoning Bylaw Amendment
10797 The Gore Road
Sheridan Capital Management Corp.
City File: OZS-2023-0002 and 21T-23002B
Region File: 21T-23002B and RZ-23-002B**

Dear Ms. Sunny,

The Region has reviewed the second submission material in support of the Draft Plan of Subdivision and Zoning Bylaw Amendment proposing 202 single family dwelling lots and a block for an elementary school. Regional comments and Draft Plan Conditions can be found below.

REGION OF PEEL CONDITIONS OF DRAFT APPROVAL

As per the Conditions of Draft Approval for Draft Plan of Subdivision 21T-23002B, the developer is required to fulfill the Conditions to the satisfaction of the Region. Release for Registration will not be provided by the Region until such time as all Regional requirements have been satisfactorily addressed.

GENERAL COMMENTS

Development Charges

- The Developer acknowledges that the lands are subject to the current Region's Development Charges By-law, as amended from time to time. The applicable development charges shall be paid in the manner and at the times provided by this By-law.

Capital Budget

- Servicing of this Plan will require construction of 375mm diameter sanitary sewer which is the financial responsibility of the Region of Peel as per Development Charges By-law and policy F40-06. Should the Developer wish to proceed with the works in order to obtain clearance of the Draft Plan conditions at a time when the Region is not prepared to fund the works, then the Developer shall be required to enter into a Front-Ending Agreement prior to the construction of the works. This

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

agreement will be subject to the Region's determination that it has or will have sufficient funds to justify entering into the Front-Ending Agreement and Regional Council approval. The following required oversized sanitary sewers, watermain and intersection improvement works are included in the Region's Five Year Capital Budget and Forecast.

Component No.	Project No.	Construction Year	Description
		2025	375mm sanitary sewer on Street 1

Functional Servicing Report

- The Region has reviewed the FSR dated September 2023 prepared by Candevcon and has found it to be acceptable.

Real Estate

- There is a Region of Peel easement on the subject property. No encroachments shall be permitted.

Public Health

- No further comments

Waste Management

- Please note that once the detailed engineering submission is submitted for review prior to registration, it is important the report shows the following information:
 - Collection vehicle access route must be shown on the drawing. See section 2.0 of the WCDSM for requirements.
 - Each dwelling unit within a development must have its own identifiable collection point on the drawing. See Appendix 9 of the WCDSM.
 - A minimum of 3.75 square meters (2.5 meters by 1.5 meters) must be provided in the garage, backyard or side for storage of carts, with direct access to the collection point location.
- For more information, please consult the Region of Peel Waste Collection Design Standards Manual available at: <https://peelregion.ca/public-works/design-standards/pdf/waste-collection-design-standards-manual.pdf>

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

CONDITIONS OF DRAFT APPROVAL

1. Prior to execution of the Subdivision Agreement by the Region, the Developer shall:
 - a) Obtain and submit to the Region a Residential Development Charges Payment Form completed to the best of the Developer's knowledge at the time of the submission and to the satisfaction of the Region in accordance with the engineering drawings and final draft M-plan; and
 - b) Pay to the Region the appropriate hard service residential development charges (water, wastewater and road service components), pursuant to the Region's Development Charges By-law, as amended from time to time, calculated based on the information provided in the Residential Development Charges Payment Form.
2. Provision shall be made in the Subdivision Agreement with respect to:
 - a. Payment to the Region of appropriate soft service development charges and any outstanding hard service development charges; and
 - b. Collection of development charges for future residential development blocks (non-freehold townhouses or apartment blocks); pursuant to the Region's Development Charges By-law, as amended from time to time.
3. In respect of the water meter fees:
 - a) Prior to registration of the plan of subdivision, the Developer shall pay to the Region the appropriate water meter fees, in accordance with the Region's Fees By-law, as amended from time to time for residential building lots (singles, semi-detached and freehold townhomes) to the satisfaction of the Region in accordance with the engineering drawings and final draft M-plan for the Lands;
 - b) A clause shall be included in the Subdivision Agreement that water meter fees for future residential development (non-freehold townhouses or apartment blocks) and commercial blocks shall be payable to the Region prior to issuance of building permits, in accordance with the Region's Fees By-law, as amended from time to time; and
 - c) A clause shall be included in the Subdivision Agreement that in the event of an underpayment of water meter fees, the Developer shall be responsible for payment thereof forthwith upon request.
4. As a condition of registration of this Plan or any phase thereof, the Developer shall gratuitously dedicate, free and clear of all encumbrances and to the satisfaction of the Region:
 - a) A road widening pursuant to the Region's Official Plan along The Gore Road Regional Road #8 as below:
 - i. Mid-block Right-of-Way requirement is 45 meters, 22.50 meters measured from centreline of The Gore Road,
 - ii. 245 meters within a municipal intersection, Right-of-Way requirement is 50.5 meters, 25.25 meters measured from centerline of The Gore Road;
 - iii. 4.5m buffer block along the frontage of The Gore Road, in front of Lot 1;

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

iv. 0.3 metre reserve along the frontage of The Gore Road and behind the daylight triangles.

- b) all necessary easements for proposed and existing Regional infrastructures as required by the Region to service the proposed Plan and external lands.

All costs associated with land transfers and easements shall be 100% the responsibility of the Developer. Clauses shall be included in the Subdivision Agreement in respect of same.

5. Clauses shall be included in the Subdivision Agreement in respect of:
- a) No lots or blocks shall have direct access to The Gore Road.
 - b) The Developer shall remove any existing driveway/accesses along the frontage of The Gore Road that do not conform to the approved plans at its sole cost.
6. Prior to any grading, servicing and construction, the Developer shall obtain from the Region's Public Works Department a road occupancy/construction access permit for all works within the Region's road right-of-way and obtains such permit at least 48 hours prior to the commencement of work. Additional documentation, fees and securities will be required with respect to the works for which the permit was obtained. All costs associated with the road works within the Region's right-of-way shall be borne entirely by the Developer.

A clause shall be included in the Subdivision Agreement in respect of same.

7. The location, design and implementation of the construction access for the subdivision work must be acceptable to the Region and interim road works may be required to that effect. All costs associated with the construction access works to facilitate the development shall be 100% borne by the Developer. A Letter of Credit for 100% of the estimated cost of construction access works will be required by the Region prior to any approvals.
8. The Developer shall acknowledge and agree that:
- a) Landscaping, signs, cranes, fences, gateway features, and any other encroachments will not be permitted within the Region's easements and right-of-way limits.
 - b) The Region will not permit any alteration to grading within The Gore Road and right-of-way along the frontage of the Lands.
 - c) Noise walls adjacent to Regional roads if required, shall be installed at the property line and be to the City of Brampton's Noise Wall specifications with steel posts. Region's requirements to be referenced in the noise abatement report and on all applicable drawings.
 - d) The Developer shall acknowledge and agree that the Region's storm sewers are designed to convey run-offs from the right-of-way of Regional roads only. Under no circumstance shall the flow of storm water from the Plan be diverted to or along The Gore Road's right of way (by pipe or channel); All costs associated with the storm sewer conveyance shall be 100% the responsibility of the Developer

Clauses shall be included in the Subdivision Agreement in respect of same.

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

9. Restriction on transfer or charge for all lots and blocks within the plan of subdivision, save and except those to be conveyed to the City and the Region, shall be registered on title to said lots and blocks prohibiting any transfer or charge of said lots and blocks without the consent of the Region until all external sanitary sewers and watermains to service the Plan have been completed to the Region's satisfaction. The Developer shall be responsible for all costs in respect of said restriction on title. A clause shall be included in the Subdivision Agreement in respect of same.
10. The Developer shall acknowledge and agree that servicing of the subdivision will require:
 - a) Construction of a 375mm diameter sanitary sewer on Street "1" which is the financial responsibility of the Region as per Development Charges By-Law and Policy F40-06; and
 - b) The Developer shall make appropriate financial arrangement with the Region prior to construction of such works. The construction will be subject to the Region's determination that it has or will have sufficient funds to finance the works.

Clauses shall be included in the Subdivision Agreement in respect of same.

11. The Developer shall acknowledge and agree that financing and construction of all temporary/permanent infrastructures not covered by the Current Development Charges By-law (watermains, sanitary sewers) shall be 100% financial responsibility of the Developer. A clause shall be included in the Subdivision Agreement in respect of same.
12. Prior to servicing, the Developer's engineer shall submit all engineering drawings in the digital format to the latest Region's Digital Format Guidelines.
13. Within (60) days of preliminary acceptance of the underground services, the Developer's engineer shall submit "As Constructed" drawings in digital format, pursuant to the latest Region's Digital Format Guidelines. The Developer's engineer shall also provide ties to all main line valves, ties to individual water service boxes, linear ties to sanitary sewer services and GPS coordinates of all watermain and sanitary sewer appurtenances in accordance with the latest requirements of the Region "Development Procedure Manual". A clause shall be included in the Subdivision Agreement in respect of same.
14. Prior to registration of the subdivision, the Developer shall execute a Subdivision Agreement with the local municipality and Region for the construction of municipal sanitary sewer, water, and regional roads associated with the lands. The Developer shall construct and design these services in accordance with the latest Region standards and requirements.
15. Prior to a satisfactory engineering submission, the Developer shall submit to the Region for review and approval:
 - a. A Functional Servicing Report (FSR) showing proposed watermain, sanitary and storm sewer servicing plan for the development and provision for the external lands;

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

- b. Storm Drainage Study Report to determine and demonstrate, to the satisfaction of the Region, that there is no adverse effect of the proposal on the existing structures and drainage along The Gore Road.
- c. A noise abatement report is required for lots adjacent to The Gore Road.

Clauses shall be included in the Subdivision Agreement in respect of same.

- 16. Prior to servicing, the Developer shall submit a satisfactory engineering submission to the Region to review and approval.
- 17. Prior to registration of the Plan of subdivision, the Developer shall ensure that all lots and blocks are serviced via an internal road network. A clause shall be included in the Subdivision Agreement in respect of same.
- 18. Prior to servicing of the subdivision, the Region may require the Developer to construct a sampling hydrant (at 100% the Developer's expense) within the proposed Plan. Location and the requirement for sampling hydrant will be determined at the engineering review stage.
- 19. The Developer agrees that the Region shall hold back a portion of the Letter of Credit to cover the costs of services completed by the Region on a time and material basis pursuant to the current Region's User Fee By-Law. A clause shall be included in the Subdivision Agreement in respect of same.
- 20. The Developer will maintain adequate chlorine residuals in the watermain within the Plan from the time the watermain is connected to the municipal system until such time as the Region issues Final Acceptance. To maintain adequate chlorine residuals, the Developer shall either install automatic flushing devices or retain Regional staff to carry out manual flushing. Regional staff shall conduct the monitoring and testing for chlorine residuals. All costs associated with the monitoring and flushing shall be the responsibility of the Developer pursuant to the current Region's User Fee By-Law. A clause shall be included in the Subdivision Agreement in respect of same.
- 21. Provision will be required in the Subdivision Agreement for the following clauses in respect of servicing existing properties within the zone of influence in the event that existing private services (wells) deteriorate due to the servicing of the proposed plan of subdivision;
 - a) Until the issuance of Final Acceptance, a portion of the Letter of Credit shall be held back to serve as protection for the private wells in the zone of influence of the plan of subdivision. This amount shall be based on the anticipated cost of replacing water supplies within the zone of influence as shown in the schedules of the agreement. The minimum amount shall be \$20,000.00. If the private well systems in the zone of influence deteriorate due to the servicing of the plan of subdivision the Developer shall provide temporary water supply to the residents upon notice by the Region and the Developer shall continue supplying the water to the effected residents until the issue is resolved to the satisfaction of involved parties. If the quantity of water in the existing wells is not restored to its original condition within a month after first identification of the problem, the Developer shall engage the services of a recognized hydrogeologist to evaluate the wells and recommend solutions including deepening the wells or providing a permanent water service connection from the watermain to the dwelling unit.

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

- b) The Developer shall inspect, evaluate and monitor all wells within the zone of influence prior to, during and after the construction has been completed. Progress Reports should be submitted to the Region as follows:
 - i. Base line well condition and monitoring report shall be submitted to the Region prior to the pre-servicing or registration of the plan (whichever occurs first) and shall include as a minimum requirement the following tests:
 - a) Bacteriological Analysis - Total coliform and E-coli counts
 - b) Chemical Analysis - Nitrate Test
 - c) Water level measurement below existing grade
 - ii. In the event that the test results are not within the Ontario Drinking Water Standards, the Developer shall notify in writing the Homeowner, the Region of Peel's Health Department (Manager - Environmental Health) and Public Works Department (Development Supervisor) within 24 Hours of the test results.
 - iii. Well monitoring shall continue during construction and an interim report shall be submitted to the Region for records. Well monitoring shall continue for one year after the completion of construction and a summary report shall be submitted to the Region prior to Final Acceptance.
- 22. The Developer shall agree that neither the Developer nor any Builder will apply for building permits for any lots or blocks within the plan of subdivision until the Region's Public Works Department has issued Preliminary Acceptance and provided notice to the local municipality stating that internal and external sanitary sewers and watermains, including fire protection, have been completed to the Region's satisfaction. The Developer's Consulting Engineer shall certify in writing that the internal and external sanitary sewers and watermains, including fire protection, have been constructed, inspected and shall function in accordance with the detailed design as approved by the Region. A clause shall be included in the Subdivision Agreement in respect of same.
- 23. Prior to registration of the Plan of subdivision, the Developer shall submit draft reference plan(s) for the Region's review and approval prior to such plans being deposited. All costs associated with preparation and depositing of the plans and transfer of lands shall be at the sole expense of the Developer
- 24. The Developer agrees that prior to the Region granting clearance of the draft plan conditions of subdivision approval, the following shall require to be forwarded to the Region's Legal Services Division:
 - a. A copy of the final signed M-Plan
 - b. A copy of the final draft R-Plan(s); and
 - c. Easement and conveyance documents required pursuant to this Agreement and the registration of this plan.

A clause shall be included in the Subdivision Agreement in respect of same.

If you have any questions or concerns, please contact the undersigned at 905-791-7800 ext. 4479, or by email at: sharon.lithwick@peelregion.ca

Kind regards,

Sharon Lithwick

Sharon Lithwick MPI
Principal Planner
Development Services, Region of Peel

Public Works

10 Peel Centre Dr.
Suite A
Brampton, ON
L6T 4B9
tel: 905-791-7800

peelregion.ca

