## Flower City



FILE NUMBER: <u>A 2004-0062</u>

The Personal Information collected on this form is collected pursuant to section 45 of the Planning Act and will be used in the processing of this application. Applicants are advised that the Committee of Adjustment is a public process and the information contained in the Committee of Adjustment files is considered public information and is available to anyone upon request and will be published on the City's website. Questions about the collection of personal information should be directed to the Secretary-Treasurer, Committee of Adjustment, City of Brampton.

# APPLICATION Minor Variance or Special Permission

(Please read Instructions)

NOTE: It is required that this application be filed with the Secretary-Treasurer of the Committee of Adjustment and be accompanied by the applicable fee.

The undersigned hereby applies to the Committee of Adjustment for the City of Brampton under section 45 of the <u>Planning Act</u>, 1990, for relief as described in this application from By-Law **270-2004**.

1.	Name of C	Owner(s) Gurmanpreet Singh & Japneet Kaur Sansoya
	Address	49 nautical dr
		Brampton, ON, L6R 2H2
	Phone #	437-333-7873 Fax #
	Email	preetgurman1313@gmail.com
•	Name of A	N4
2.	Name of A Address	rgent
	/ taa 1 000	
	Phone #	Fax #
	Email	
3.	Nature and	d extent of relief applied for (variances requested):
	<del></del>	
		Application for minior variance is for to allow 3 feet below grade entrance from ground level
	•	
4.	Why is it r	not possible to comply with the provisions of the by-law?
	Ap per exi	sting rule we require 4 feet after below grade which is not possible and we have made the cutting out for door
	City inspec	ctior approved it before onsite and with written confirmation in the email and then refused to pass
_	Lorel Dec	scription of the subject land:
5.	Lot Numb	
		ber/Concession Number 42M-1298
	Municipal	Address 49 nautical dr, Brampton, Sandringham- wellington
6.		n of subject land ( <u>in metric units)</u> 12.63 m
	Depth	12.63 M
	Area	414.54m
7.		o the subject land is by:
		Il Highway Seasonal Road Started All Year Started Color Public Road
		I Road Maintained All Year X Other Public Road I I I I I I I I I I I I I I I I I I I
	riivale Ki	Igitt-or-way water

8.	Particulars of all buildings and structures on or proposed for the subject land: (specify in metric units ground floor area, gross floor area, number of storeys, width, length, height, etc., where possible)				
	EXISTING BUILDINGS	S/STRUCTURES on th	e subject land: <u>List all</u>	structures (dwelling	ı, shed, gazebo, etc.)
	Single dwelling Uni	t			
	PROPOSED BUILDIN	GS/STRUCTURES on	the subject land:		
	Two dwellings with b	pelow grade entrance			
9.		_	uctures on or prop and front lot lines	1000	
	EXISTING	0.00			
	Front yard setback	6.36m			
	Rear yard setback Side yard setback	7.55m 1.28m			
	Side yard setback	3.44m / 3.99m			
	PROPOSED				
	Front yard setback	6.36m			
	Rear yard setback	7.55m			
	Side yard setback	1.28m			
	Side yard setback	3.44m / 3.99m	· · · · · · · · · · · · · · · · · · ·		
10.	Date of Acquisition o	f subject land:	21 may 2023		
11.	Existing uses of subj	ect property:	Single dwelling		
12.	Proposed uses of sul	bject property:	Two dwellings		
13.	Existing uses of abut	ting properties:	Single dwelling	g unit (using	by home owner)
14.	Date of construction	of all buildings & stru	ctures on subject land:	21 jai	n 2024
15.	Length of time the ex	isting uses of the sub	ject property have beer	n continued:	21 may 2023
6. (a)	What water supply is Municipal S	existing/proposed?	Other (specify)		
(b)	What sewage dispos Municipal Septic	al is/will be provided?			
(c)	What storm drainage	system is existing/pr	oposed?		
	Sewers		<b>2</b> 41 - 4 - 12 5	Main drai	nage system
	Ditches		Other (specify)	ivialli ulal	nago ayatam

**Swales** 

17.

17.	Is the subject prop subdivision or cons		f an application under t	he Planning Act, for a	pproval of a plan of
	Yes	No X			
	If answer is yes, pr	ovide details:	File #	Status_	
18.	Has a pre-consulta	tion application be	een filed?		
	Yes X	No			
19.	Has the subject pro	perty ever been th	ne subject of an applica	tion for minor variance	<b>?</b> ?
	Yes	No X	Unknown		
	If answer is yes, pr				
	File #	Decision Decision		Relief	
	File #	Decision		Relief	
		,	<u>Gh</u>	of Applicant(s) or Auth	MT
DAT	ED AT THE Cit	У	_	Brampton	onzed Agent
		Feb	·		
			······································	PERSON OTHER TH	AN THE OWNER OF
THE SUB	JECT LANDS, WRIT	TEN AUTHORIZAT	ION OF THE OWNER M	UST ACCOMPANY TH	IE APPLICATION. IF
CORPOR	ATION AND THE CO	RPORATION'S SE	AL SHALL BE AFFIXED		Oshawa
GUNIVIAINE	, Inder	THE AU	AUR SANSOYA AUA OF THE	City OF	Brampton
IN THE	Region OF	Peel	SOLEMNLY DEC	LARE THAT:	
			AND I MAKE THIS SO AT IT IS OF THE SAME		
DECLAR	ED BEFORE ME AT T	HE	,		$\wedge$
City	of Brai	mpton			red>
IN THE	Region	OF	C VIX	ANOUST	
Peel	THIS 16th	DAY OF		ally Toped	
Feb	, 2024	- Clara Vani	Signatu	re of Applicant or Author	prized Agent
	Man ) e	) a Commissione			
	A Commissioner et	Province of Ontic. for the Corporate City of Brampto	tion of the		
		Expires Septem	nber 20, 2026 R OFFICE USE ONLY		
	Present Official Pla	an Designation:			
	Present Zoning By	-law Classification	1:	R1C-750	
	This application ha		ith respect to the variance outlined on the attached		ults of the
	Sh	iza Athar		2024/02/26	
	Zon	ing Officer		Date	
	DAT	TE RECEIVED	Teh 28 8	Vene	

# **Letter Of Authorization**

I Gurmanpreet Singh owner of property 49 nautical dr, Brampton, ON L6R 2H2 authorize Inderjit Aulakh to go to city hall at 2 Wellington Street 1<sup>st</sup> Floor Clerks Department to make a payment regarding minor variance application and sign the affidavit on my behalf as I am away from home.

Thank You

Gurmanpreet Singh

### PERMISSION TO ENTER

To: The Secretary-Treasurer Committee of Adjustment City of Brampton 2 Wellington Street West Brampton, Ontario L6Y 4R2

> 49 nautical dr Brampton, ON, L6R 2H2

LOCATION OF T	HE SUBJECT LAND:	Brampton, ON, L6R 2H2	
I/We.	GURMANPREE	T SINGH & JAPNEET KAUR SANSOYA	
please print/type the full name of the owner(s)		print/type the full name of the owner(s)	_
the undersigned	heing the registered ow	ner(s) of the subject land, hereby authorize the Members of	٦f

the City of Brampton Committee of Adjustment and City of Brampton staff members, to enter upon the above noted property for the purpose of conducting a site inspection with respect to the attached application for Minor Variance and/or consent.

\_\_\_\_\_, **20** 24 Dated this 16th day of Brampton

(signature of the owner[s], or where the owner is a firm or corporation, the signature of an officer of the owner.)

## **GURMANPREET SINGH & JAPNEET KAUR SANSOYA**


(where the owner is a firm or corporation, please print or type the full name of the person signing.)

NOTE: If the owner is a firm or corporation, the corporate seal shall be affixed hereto.

## NO DISCUSSION SHALL TAKE PLACE BETWEEN THE COMMITTEE MEMBERS AND THE APPLICANT DURING THE SITE INSPECTION



## 49 NAUTICAL DR





**Prime Permit Designs** 

primepermitrdesigns@gmail.com 514-660-7576



26/02/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

#### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY PORBIDEN.
AUTHORIZED BY
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

NO	REVISION / ISSUE	DATE

SITE PLAN

CITY: BRAMPTON

49 NAUTICAL DR

EXISTING DWELLING

SHEE


A-1

PROJECT

JULY 2023



# 49 NAUTICAL DR





primepermitrdesigns@gmail.com 514-660-7576



28/03/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY FORBIDEN.
ANY REPRODUCTIONS MUST BE
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

NO	REVISION / ISSUE	DATE

SITE PLAN

CITY: BRAMPTON

49 NAUTICAL DR


EXISTING DWELLING

SHEET

**A-**1


PROJECT

JULY 2023





## 49 NAUTICAL DR





**Prime Permit Designs** 

primepermitrdesigns@gmail.com 514-660-7576



20/02/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

### GENERAL NOTES

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION ID SSIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY PORBIDEN.
ANY REPRODUCTIONS MUST BE
AUTHORIZED BY
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

22733333		
NO	REVISION / ISSUE	DATE

SITE PLAN

CITY: BRAMPTON

49 NAUTICAL DR

EXISTING DWELLING

SHEET

A-1


PROJECT

JULY 2023



FRONT YARD AREA =1164.33 SFT LANDSCAPE AREA = 763.36 SFT (65.56 %)

## 49 NAUTICAL DR





primepermitedesigns@gmail.com 514-660-7576



17/02/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR MINOR VARIANCE

### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CARRESTOOLS STRICTLY TORBIDEN.
AND THE PROPOSED ON SHUET BE
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

$\Box$		
NO	REVISION / ISSUE	DATE

SITE PLAN

CITY: BRAMPTON


49 NAUTICAL DR

EXISTING DWELLING

SHEE

**A-1** 

PROJECT



## PROPOSED BASEMENT

**SCALE 3/16"=1'-0"**GROSS FLOOR AREA =914.56 SFT / 84.96 SM



primepermitrdesigns@gmail.com 514-660-7576



30/01/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

#### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY FORBIDEN.
ANY REPRODUCTIONS WITS BE
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

		1
NO	REVISION / ISSUE	DATE

BASEMENT PLAN

CITY: BRAMPTON


49 NAUTICAL DR

EXISTING DWELLING

SHEET

A-2

PROJECT SEP 2023



## **MAIN FLOOR PLAN**

SCALE 3/16"=1'-0"

GROSS FLOOR AREA =971.39 SFT / 90.24 SM



**Prime Permit Designs** 

primepermitrdesigns@gmail.com 514-660-7576



30/01/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
COMPORATION IS STRICTLY FORBIDEN.
AUTHORIZED BY
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

NO	REVISION / ISSUE	DATE

MAIN FLOOR PLAN

CITY: BRAMPTON


49 NAUTICAL DR

EXISTING DWELLING

SHEET

A-3

PROJECT JULY 2023



## **SECOND FLOOR PLAN**

SCALE 3/16"=1'-0"

GROSS FLOOR AREA =971.39 SFT / 90.24 SM



primepermitrdesigns@gmail.com 514-660-7576



30/01/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY FORBIDEN.
ANY REPRODUCTIONS MUST BE
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

NO	REVISION / ISSUE	DATE

SECOND FLOOR PLAN

CITY: BRAMPTON

49 NAUTICAL DR

EXISTING DWELLING

SHEET A-Z

PROJECT

JULY 2023

DOOR SCHEDULE

1- ALL INTERIOR DOORS ARE SLAB DOOR 1-3/8 TH. HOLLOW CORE. THE SIZES ARE MENTIONED ON THE FLOOR PLAN. THE HEIGHT OF ALL

EGRESS DOOR - EXISTING AT GRADE EXTERIOR TYPE STEEL DOOR PROVIDES ACCESS TO THE OUTSIDE

ONE WINDOW PER FLOOR TO HAVE AN UNOBSTRUCTED OPEN PORTION W/A MIN. AREA OF 0.35m2 W/ NO DIMENSION LESS THAN 380mm & MAXIMUM SILL HEIGHT OF1 M ABOVE FLOOR WINDOW SIZES HAVE BEEN PROVIDED ON THE FLOOR PLANS SEE NOTE-1 ON BASEMENT FLOOR PLAN

- FOUNDATION WALL INSULATION FOUNDATION WALL, MOISTURE BARRIER, R12+10cl INSULATION, 2 BY 4 STUDS @ 16" O.C., 8 MIL POLYETHYLENE V.B., 1" GYPSUM DRYWALL JOINTS TAPED AND SEALED
- NEW WOOD FRAMED WALL CONSISTING OF 2 BY 4 WOOD STUDS @ 16" O.C. WITH 1/2" DRY WALL ON BOTH SIDES, JOINTS TAPED AND SEALED. WATER RESISTANT GWB ON BATHROOMS WALLS.
- ALL CEILING 1/2 GYPSUM BOARD PROVIDE MINIMUM 15 MIN. HORIZONTAL FIRE SEPARATION

  • ENSURE MINIMUM 15 MINUTES FIRE SEPARATION AROUND ALL STRUCTURE COLUMNS AND BEAMS
- 20 MIN. RATED DOOR BETWEEN BASEMENT APARTMENT AND PRINCIPAL RESIDENCE
- EXISTING DUCT WORK LOCATED IN THE CEILING SHALL BE RELOCATED SO THAT THE DIRECTION OF THE HEAT FLOW IS TOWARDS THE FLOOR
- INSTALL MECHANICAL VENTILATION PER OBC DIV B 9.32.1.3(3) REQ'S. EXHAUST FAN SHALL DISCHARGE DIRECTLY TO OUTSIDE.
  SEPARATE ANY INTAKE FROM BUILDING ENVELOP PENETRATIONS THAT ARE POTENTIAL SOURCES OF CONTAMINANTS (GAS VENTS, OIL FILE PIPES, ETC, BY MIN 900MM ( 2FT 11 IN)
- IN COMPLIANCE WITH C152(b) SMOKE ALARMS TO BE INSTALLED IN EVERY DWELLING UNIT AND COMMON AREAS IN CONFORMANCE WITH OBC 9.10.19. SMOKE ALARM SHALL BE WIRED AND INTERCONNECTED FOR THE ENTIRE BUILDING
- HARD WIRE CONNECTED CARBON MONOXIDE DETECTOR AS CAN/CSA-6.19
- FOR ALL ELECTRICAL WORK AND PERMIT CONTACT ELECTRICAL SAFETY AUTHORITY
- REQUIRED IN EVERY KITCHEN, BEDROOM, LIVING ROOM, UTILITY ROOM, LAUNDRY ROOM, DINING

RECEPTACLE MAY BE PROVIDED

LIGHT CONTROLLED BY A SWITCH IS BATHROOM, VESTIBULE, HALLWAY, REQUIRED IN EVERY KITCHEN. GARAGE AND CARPORT. A SWITCH INSTEAD OF LIGHT IN BEDROOMS

GENERAL NOTES

- · ALL WORK ACCORDING TO ONTARIO BUILDING
- ALL DIMENSIONS AND LOCATIONS TO BE VERIFIED ON SITE PRIOR TO CONSTRUCTION.
- · ALL WOOD USED IN THE CONSTRUCTION SHALL BE SPF NO.1 OR NO.2
- . MINIMUM BEARING OF STEEL LINTELS 150 MM.
- . MINIMUM BEARING OF WOOD BEAM / LINTELS 90 MM
- MINIMUM BEARING OF WOOD JOISTS 40MM
- VERIFY EXISTING SUPPORT SYSTEM, INCLUDING FOUNDATIONS, FOR LOADS IMPOSED BY THE PROPOSED CONSTRUCTION
- PROVIDE ALL BRACING, SHORING AND NEEDLING NECESSARY FOR THE SAFE EXECUTION OF THIS
- . INFORM CITY OF ALL INSPECTION AHEAD OF TIME AND AT EACH STAGE OF CONSTRUCTION

WOOD MEMBERS TO BE IN CONTACT WITH CONCRETE TO BE PROTECTED FROM DECAY AND DAMPNESS WITH MIN. 0.05 MM POLYETHYLENE FILM OR TYPE"S" ROLL ROOFING AS PER OBC DIV "B" 9.23.2.2 AND 9.23.2.3

- THE RETURN AIR GRILL SHALL BE INSTALLED NEAR THE FLOOR (A) LEVEL (HRAI REQ'S). UNDERCUT BY 1" THE DOOR TO ANY ROOM WITH OUT RETURN GRILL
- ENSURE ADEQUATE VENTILATION AND COMBUSTION AIR FOR THE OPTIMUM OPERATION OF THE FURNACE, PER MANUFACTUR'S
- PROVIDE MINIMUM 30 MINUTE FIRE RATED, 1/2" THICK DRYWALL OR "TYPE X DRY WALL UNDER THE STAIR SOFFIT/CEILING AND ON THE WALLS ENCLOSING STAIRWAYS CONNECTING BASEMENT TO
- DUCT-TYPE SMOKE DETECTOR TO BE INSTALLED IN THE SUPPLY OR RETURN AIR DUCT SYSTEM SERVING THE ENTIRE BUILDING THAT MUST TURN OFF THE FUEL SUPPLY AND ELECTRICAL POWER TO THE HEATING SYSTEM UPON ACTIVATION

SD: SMOKE

D LIGHT

DETECTOR

SPOT LIGHT

CO: CARBON MONOXIDE DETECTOR

RETURN AIR REGISTER

ER ELECTRICAL PANEL

PROVIDE 30 MIN FIRE SEPERATION LIVING ROOMS. 1/2" GYPSUM BOARD 2" X 4" WOOS STUD AT 16" O.C 3 F ROXULL SAFE "N" SOUND INSULATION GYPSUM BOARD

PSZESZ NEW WALL

EXISTING WALL

\$3 OR 4 WAY SWITCH INSTALL AT 3'-3" AFF
3 DENOTES 3-WAY SWITCH

SPECIFICATION GRADE PLATE4 DENOTES 4-WAY SWITCHSHALL BE EACH STAIRWAYS

WHITE, WITH WHITE COVER INSTALLED AT THEENDS OF

LINTEL SCHEDULES:-

STEEL ANGLE FOR BRICK/STONE VENEER SUPPORT 3 1/2" X 3 1/2" X 1/4" STEEL ANGLE 0 3 1/2" X 3 1/2" X 3/8" STEEL ANGLE **(**3 3-2" X 8" NOTE: PROVIDE MIN 6" BEARING OF LINTEL AT B/S OF WALL

## 15A, 120V DUPLEX RECEPTACLE A RECEPTACLE 50A, COMP SPECIFICATION GRADE, WHITE 208V, C/W WHITE COVER PLATE GFI- GROUND FAULT TYPE WP- WEATHERPROOF COVER C - ABOVE COUNTER

CARBON MONO OXIDE DECTECTOR

SMOKE ALARM

ELECTRICAL PANEL

\$ ѕмтсн

STOVE OR DRIER OUTLET.

- EXHAUST FAN
- O FD: FLOOR DRAIN
- SPRINKLER
- SUPPLY AIR REGISTER
- EMERGENCY LIGHT WITH BATTERY BACK UP 4 HRS
- O DRY EXHAUST FAN



primepermitrdesigns@gmail.com 514-660-7576



30/01/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

#### GENERAL NOTES

DO NOT SCALE DRAWINGS PROPERTY RIGHTS RETAINED BY: BG CONSTRUCTION DESIGN ANY REPRODUCTION IN WHOLE OR IN PART UNDER THE RULES AND BY-LAWS OF THE CORPORATION IS STRICTLY FORBIDEN. ANY REPRODUCTIONS MUST BE AUTHORIZED BY ALL DRAWINGS ARE IN METRIC SCALE

1			
1	NO	REVISION / ISSUE	DATE

**GENERAL NOTES** 


CITY: BRAMPTON

49 NAUTICAL DR


**EXISTING DWELLING** 

SHEET


**PROJECT JULY 2023** 



SIZE	OPENINGS	LINTEL	
L 3.5" X 3.5" X 0.3125" UPTO 54" OPENINGS		L1	
SIZE	OPENINGS	LINTEL	
2-2"X8"	UPTO 66" OPENINGS	WB2	



FLOOR PLAN FOR
EXTERIOR OPENINGS
SCALE 1/4"=1'-0"





primepermitrdesigns@gmail.com 514-660-7576



30/01/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY FORBIDEN.
ANY REPRODUCTIONS MUST BE
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

NO	REVISION / ISSUE	DATE

DOOR SECTION

CITY: BRAMPTON


49 NAUTICAL DR

EXISTING DWELLING


SHEET

A-7

PROJECT JULY 2023



**FLOOR PLAN FOR BATH** SCALE 1/4"=1'-0"





primepermitrdesigns@gmail.com 514-660-7576



30/01/24 CANAM ENGG.

SCOPE OF WORK

PROPOSAL TO CONSTRUCT SECONDARY UNIT WITH SIDE DOOR

### **GENERAL NOTES**

DO NOT SCALE DRAWINGS
PROPERTY RIGHTS RETAINED BY:
BG CONSTRUCTION DESIGN
ANY REPRODUCTION IN WHOLE OR IN PART
UNDER THE RULES AND BY-LAWS OF THE
CORPORATION IS STRICTLY FORBIDEN.
ANY REPRODUCTIONS WIGHT BE
AUTHORIZED BY
ALL DRAWINGS ARE IN METRIC SCALE

NO	REVISION / ISSUE	DATE

COLD CELLAR SECTION

CITY: BRAMPTON

49 NAUTICAL DR

EXISTING DWELLING

SHEET

**PROJECT** 

JULY 2023

## **Zoning Non-compliance Checklist**

Eile Ne	
File No.	201.0
H-9024	-0009

Applicant: Gurmanpreet Singh & Japneet Kaur Sansoya

Address: 49 Nautical Dr

Zoning: R1C-750

By-law 270-2004, as amended

Category	Proposal	By-law Requirement	Section #
USE			37
LOT DIMENSIONS AREA / DEPTH / WIDTH			
BUILDING SETBACKS FRONT / SIDE / REAR			
BUILDING SIZE			
BUILDING HEIGHT			
COVERAGE			
BELOW GRADE ENTRANCE	To permit a proposed exterior stairway leading to a below grade entrance in a required side yard,	whereas the by-law does not permit exterior stairways constructed below established grade in the required interior side yard.	10.23.1
BELOW GRADE ENTRANCE	To permit an interior side yard setback of 0.17m to a proposed exterior stairway leading to a below grade entrance,	whereas the by-law requires a minimum setback of 0.3m to an exterior stairway leading to a below grade entrance in the interior side yard provided that a continuous side yard width of no less than 1.2m (3.94 ft.) is provided on the opposite side of the dwelling.	10.23.2
ACCESSORY STRUCTURE SIZE / HEIGHT			
MULTIPLE ACCESSORY STRUCTURES			
GARAGE WIDTH			
LANDSCAPED OPEN SPACE			
ENCROACHMENTS			
TWO-UNIT DWELLING			
SCHEDULE "C"			
OTHER - DECK			

Shiza Athar	
Reviewed by Zoning	_
2024/02/26	
Date	